



## CATALOGUE 2024



# STANDARD MACHINE COMPONENTS



## ABOUT US

EMES A.S. was established as a multi-partner firm in 1998 by well-known traders who have been doing business in the world markets. In short time, the company became a strong trademark and made an appearance both in domestic and foreign markets. It has attained a high quality in the production and increased the standard product kinds to more than 8.000 to date. This way the company became more competitive not only country-wide but also worldwide. EMES A.S., with its dynamic and self-renewing nature has determined its vision to be the most preferred and reliable trademark globally, and to export mostly to the European countries and subsequently to more than 67 countries of Middle East, Africa, Balkans and Middle Asia.

EMES A.S. works taking into consideration the principle of "absolute customer satisfaction" which is part of the quality policy of the company thanks to its well-trained technical staff a modern facility of 9.000 sqm<sup>2</sup> covered area. The company has arranged special human resource with a highly creative team by maintaining an internationally recognised quality standard. It is the first company in Turkey which has the Certificate of DIN EN ISO 9001:2015. Our mission is to offer more reliable, high quality and aesthetic designed products to our customers, and to follow the developments and innovations in the sector for making them part of our quality policy. We strive to provide our domestic and international of our quality policy. We strive to provide our domestic and international customers with the best products and services which reflect the "**Made In Türkiye**" quality, and help them find the most suitable solutions for their needs.

**NOTES**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



---

---



---

---

**INDEX**

<b>KKA</b> 	<b>IA</b> 	<b>KKAB</b> 	<b>IAB</b> 	<b>MDAI</b> 	<b>MDA</b> 
<b>MDAS</b> 	<b>MDASc</b> 	<b>MAS</b> 	<b>DA</b> 	<b>SA</b> 	<b>SAi</b> 
<b>MAM</b> 	<b>MAIM</b> 	<b>KT/KTs</b> 	<b>PAM</b> 	<b>PAMZB</b> 	<b>PAIM</b> 
<b>PAIMZB</b> 	<b>PAMB</b> 	<b>PAMBZB</b> 	<b>PAMD</b> 	<b>PAIMD</b> 	<b>PMA</b> 
<b>PRA/PRAB</b> 	<b>PRd/PRk</b> 	<b>PAS/PAIS</b> 	<b>PPA</b> 	<b>HIA</b> 	<b>HIAZB</b> 
<b>HPAIMZB</b> 	<b>HPAIMD</b> 	<b>MAMR</b> <small>NEW PRODUCT</small> 	<b>MAIMR</b> <small>NEW PRODUCT</small> 	<b>AC3/PC/DC</b> 	<b>AC/ACt/ACp</b> 
<b>ACKK/ACKKt/PCKK</b> 	<b>IPP/PIPP</b> <small>NEW PRODUCT</small> 	<b>PDK/PDKK</b> 	<b>CDKK/KKCK</b> 	<b>DK</b> 	<b>PT1</b> 
<b>PTB1/PTB1P</b> 	<b>PT/PTt/PTk</b> 	<b>BT/AT</b> 	<b>MTs/AT</b> 	<b>ZTk/ZTs</b> 	<b>PGT/PGT-1</b> 

INDEX

<b>KTd/KTk</b> 44 <small>NEW PRODUCT</small>	<b>PKC/PKB</b> 45-46	<b>PKCI/PKBI</b> 47 <small>STAINLESS STEEL INOX</small>	<b>PKCt/PKBt</b> 48	<b>PKClt/PKBlt</b> 49 <small>STAINLESS STEEL INOX</small>	<b>AKCt/AKBt</b> 50
					
<b>AKC/AKB</b> 51	<b>PYCt/PYBt</b> 52	<b>PYC/PYB</b> 53	<b>PYCk/PYBk</b> 54	<b>PYCP/PYBP</b> 55	<b>PYCPt/PYBPt</b> 56
					
<b>PYCPk/PYBPk</b> 57	<b>PETEKb/PETEKc</b> 58	<b>PTB2</b> 59	<b>PTC2</b> 59	<b>PTC3/PTB3</b> 60	<b>PTB3D</b> 60
					
<b>PTC4/PTB4</b> 61	<b>PTB4d/PTB6d</b> 62	<b>PTC6/PTB6</b> 63	<b>ATB4/ATC4</b> 64	<b>ATB4p/ATC4p</b> 65	<b>PTBy/BTB</b> 66
					
<b>BKB/BKC</b> 67	<b>BYB/BYC</b> 68	<b>BSB/BSC</b> 69	<b>BTVB/ BTVC</b> 70	<b>BTV/ BTVBb</b> 70-71	<b>BDV</b> 71
					
<b>BKV</b> 71	<b>IM/SIM</b> 72 <small>STAINLESS STEEL INOX</small>	<b>PM</b> 73	<b>ZMb/ZMk</b> 73	<b>ZMCK</b> 74	<b>PMC</b> 74
					
<b>ZMCb</b> 74	<b>SMb</b> 74	<b>MI</b> 75 <small>STAINLESS STEEL INOX</small>	<b>DI</b> 75 <small>STAINLESS STEEL INOX</small>	<b>M</b> 75	<b>D</b> 75
					
<b>YPKk/YPKb</b> 76	<b>YPKp/YPK2</b> 76-77	<b>YPK3/YPK4</b> 77	<b>SRK</b> 78 <small>NEW PRODUCT</small>	<b>SKK</b> 79 <small>NEW PRODUCT</small>	<b>TCBp</b> 80
					

**INDEX**



# NEW PRODUCT



**SRK** (Sliding Satch)



[www.emesteker.com](http://www.emesteker.com)

# NEW PRODUCT




**SKK** (Bridge Clamp)



[www.emesteker.com](http://www.emesteker.com)

# KKA

CHROMIUM PLATED FEET




Rubber	Product Code	D	Pckg
	<b>KKK 040 Rubber</b>	40	100
	<b>KKK 060 Rubber</b>	60	40
	<b>KKK 080 Rubber</b>	80	20
	<b>KKK 100 Rubber</b>	100	15
	<b>KKK 120 Rubber</b>	120	10

I KKA RUBBER series can also be used In IA, IAB and KKA products.


Product Code	D	d	h	H	Sw	Kg	Pckg
<b>KKK 40 08 50</b>	40	M8	50	71	13	200	4
<b>KKK 40 08 90</b>	40	M8	90	111	13	200	4
<b>KKK 40 10 50</b>	40	M10	50	71	13	200	4
<b>KKK 40 10 70</b>	40	M10	70	91	13	200	4
<b>KKK 40 10 10</b>	40	M10	100	121	13	200	4
<b>KKK 40 10 15</b>	40	M10	150	171	13	200	4
<b>KKK 40 12 50</b>	40	M12	50	71	13	200	4
<b>KKK 40 12 70</b>	40	M12	70	91	13	200	4
<b>KKK 40 12 10</b>	40	M12	100	121	13	200	4
<b>KKK 40 12 15</b>	40	M12	150	171	13	200	4
<b>KKK 40 16 10</b>	40	M16	100	121	13	200	4
<b>KKK 60 08 50</b>	60	M8	50	71	13	250	4
<b>KKK 60 08 90</b>	60	M8	90	111	13	250	4
<b>KKK 60 10 50</b>	60	M10	50	83	13	250	4
<b>KKK 60 10 70</b>	60	M10	70	103	13	250	4
<b>KKK 60 10 10</b>	60	M10	100	133	13	250	4
<b>KKK 60 10 15</b>	60	M10	150	183	13	250	4
<b>KKK 60 12 50</b>	60	M12	50	83	17	300	4
<b>KKK 60 12 70</b>	60	M12	70	103	17	300	4
<b>KKK 60 12 10</b>	60	M12	100	133	17	300	4
<b>KKK 60 12 15</b>	60	M12	150	183	17	300	4
<b>KKK 60 16 10</b>	60	M16	100	133	19	400	4
<b>KKK 80 12 70</b>	80	M12	70	116	17	400	4
<b>KKK 80 12 10</b>	80	M12	100	146	17	400	4
<b>KKK 80 12 15</b>	80	M12	150	196	17	400	4
<b>KKK 80 16 10</b>	80	M16	100	146	19	500	4
<b>KKK 80 16 15</b>	80	M16	150	196	19	500	4
<b>KKK 80 20 10</b>	80	M20	100	146	22	600	4
<b>KKK 80 20 15</b>	80	M20	150	196	22	600	4
<b>KKK 10 12 70</b>	100	M12	70	116	17	350	4
<b>KKK 10 12 10</b>	100	M12	100	146	17	350	4
<b>KKK 10 12 15</b>	100	M12	150	196	19	350	4
<b>KKK 10 16 10</b>	100	M16	100	146	19	600	4
<b>KKK 10 16 15</b>	100	M16	150	196	19	600	4
<b>KKK 10 20 10</b>	100	M20	100	146	22	800	4
<b>KKK 10 20 15</b>	100	M20	150	196	22	800	4
<b>KKK 12 12 70</b>	120	M12	70	120	17	600	4
<b>KKK 12 12 10</b>	120	M12	100	150	17	600	4
<b>KKK 12 12 15</b>	120	M12	150	200	17	600	4
<b>KKK 12 16 10</b>	120	M16	100	150	19	800	4
<b>KKK 12 16 15</b>	120	M16	150	200	19	800	4
<b>KKK 12 20 10</b>	120	M20	100	150	22	1000	4
<b>KKK 12 20 15</b>	120	M20	150	200	22	1000	4
<b>KKK 16 16 10</b>	160	M16	100	164	19	1200	1
<b>KKK 16 16 15</b>	160	M16	150	214	22	1200	1
<b>KKK 16 20 10</b>	160	M20	100	164	22	1200	1
<b>KKK 16 20 15</b>	160	M20	150	214	22	1200	1

## IA CHROMIUM PLATED INOX FEET




Product Code	D	d	h	H	Sw	Kg	Pckg
IA 40 10 70	40	M10	70	91	13	200	4
IA 40 10 10	40	M10	100	121	13	200	4
IA 40 10 15	40	M10	150	171	13	200	4
IA 40 12 70	40	M12	70	91	13	200	4
IA 40 12 10	40	M12	100	121	13	200	4
IA 40 12 15	40	M12	150	171	13	200	4
IA 40 16 10	40	M16	100	121	13	200	4
IA 60 10 70	60	M10	70	103	13	250	4
IA 60 10 10	60	M10	100	133	13	250	4
IA 60 10 15	60	M10	150	183	13	250	4
IA 60 12 70	60	M12	70	103	17	300	4
IA 60 12 10	60	M12	100	133	17	300	4
IA 60 12 15	60	M12	150	183	17	300	4
IA 60 16 10	60	M16	100	133	19	400	4
IA 80 12 70	80	M12	70	116	17	400	4
IA 80 12 10	80	M12	100	146	17	400	4
IA 80 12 15	80	M12	150	196	17	400	4
IA 80 16 10	80	M16	100	146	19	500	4
IA 80 16 15	80	M16	150	196	19	500	4
IA 80 20 10	80	M20	100	146	22	600	4
IA 80 20 15	80	M20	150	196	22	600	4
IA 10 12 70	100	M12	70	116	17	350	4
IA 10 12 10	100	M12	100	146	17	350	4
IA 10 12 15	100	M12	150	196	17	350	4
IA 10 16 10	100	M16	100	146	19	600	4
IA 10 16 15	100	M16	150	196	19	600	4
IA 10 20 10	100	M20	100	146	22	800	4
IA 10 20 15	100	M20	150	196	22	800	4
IA 12 12 70	120	M12	70	116	17	600	4
IA 12 12 10	120	M12	100	146	17	600	4
IA 12 12 15	120	M12	150	196	17	600	4
IA 12 16 10	120	M16	100	146	19	800	4
IA 12 16 15	120	M16	150	196	19	800	4
IA 12 20 10	120	M20	100	146	22	1000	4
IA 12 20 15	120	M20	150	196	22	1000	4
IA 16 16 10	160	M16	100	164	19	1200	1
IA 16 16 15	160	M16	150	214	19	1200	1
IA 16 20 10	160	M20	100	164	22	1200	1
IA 16 20 15	160	M20	150	214	22	1200	1

## KKAB CHROMIUM - PLATED FEET



Product Code	D	d	h	H	Sw	Kg	Pckg
KKAB 60 10	60	M10	26	43	24	400	4
KKAB 60 12	60	M12	26	43	24	400	4
KKAB 60 16	60	M16	26	43	24	400	4
KKAB 80 10	80	M10	29	46	24	600	4
KKAB 80 12	80	M12	29	46	24	600	4
KKAB 80 16	80	M16	29	46	24	600	4
KKAB 10 10	100	M10	29	46	24	800	4
KKAB 10 12	100	M12	29	46	24	800	4
KKAB 10 16	100	M16	29	46	24	800	4
KKAB 12 10	120	M10	34	51	24	1000	4
KKAB 12 12	120	M12	34	51	24	1000	4
KKAB 12 16	120	M16	34	51	24	1000	4

## IAB INOX FEET BUSHED




Product Code	D	d	h	H	Sw	Kg	Pckg
IAB 60 10	60	M10	26	43	24	400	4
IAB 60 12	60	M12	26	43	24	400	4
IAB 60 16	60	M16	26	43	24	400	4
IAB 80 10	80	M10	29	46	24	600	4
IAB 80 12	80	M12	29	46	24	600	4
IAB 80 16	80	M16	29	46	24	600	4
IAB 10 10	100	M10	29	46	24	800	4
IAB 10 12	100	M12	29	46	24	800	4
IAB 10 16	100	M16	29	46	24	800	4
IAB 12 10	120	M10	34	51	24	1000	4
IAB 12 12	120	M12	34	51	24	1000	4
IAB 12 16	120	M16	34	51	24	1000	4

## MDAI MACHINE LEVELLING FEET INOX




Product Code	D	d	L	H	Kg	Mfs	Pckg
MDAI 12 16 12 D	120	M16x2	120	165	1000	12	1

Special dimensions are available upon request.



## MDA MACHINE LEVELLING FEET




Thread Size

A: 1,25 B: 1,50 C: 1,75 D: 2,00 E: 2,50 F: 3,00 G: 3,50


Product Code	D	d	L	Kg	M	Pckg
<b>MDA 80 10 10 B</b>	80	M10x1,5	100	500	12	4
<b>MDA 80 12 12 A</b>	80	M12x1,25	120	500	12	4
<b>MDA 80 16 12 B</b>	80	M16x1,5	120	500	12	4
<b>MDA 80 16 12 D</b>	80	M16x2	120	500	12	4
<b>MDA 12 10 10 B</b>	120	M10x1,5	100	1000	12	1
<b>MDA 12 12 12 A</b>	120	M12x1,25	120	1000	12	1
<b>MDA 12 16 12 B</b>	120	M16x1,5	120	1000	12	1
<b>MDA 12 16 12 D</b>	120	M16x2	120	1000	12	1
<b>MDA 16 16 12 B</b>	160	M16x1,5	120	2000	15	1
<b>MDA 16 16 12 D</b>	160	M16x2	120	2000	15	1
<b>MDA 16 20 17 B</b>	160	M20x1,5	170	2000	15	1
<b>MDA 16 20 17 E</b>	160	M20x2,5	170	2000	15	1
<b>MDA 20 20 17 B</b>	200	M20x1,5	170	5000	25	1
<b>MDA 20 20 17 E</b>	200	M20x2,5	170	5000	25	1
<b>MDA 20 24 17 F</b>	200	M24x3	170	5000	25	1
<b>MDA 20 30 17 F</b>	200	M30x3	170	5000	25	1
<b>MDA 24 20 17 B</b>	240	M20x1,5	170	7000	25	1
<b>MDA 24 20 17 E</b>	240	M20x2,5	170	7000	25	1
<b>MDA 24 24 17 F</b>	240	M24x3	170	8000	25	1
<b>MDA 24 30 17 F</b>	240	M30x3	170	9000	25	1

## MDA MACHINE LEVELLING FEET WITHOUT SCREW



Product Code	D	d	h	Kg	Pckg
<b>MDA 80 10 B</b>	80	M10x1,5	45	500	4
<b>MDA 80 12 A</b>	80	M12x1,25	45	500	4
<b>MDA 80 16 B</b>	80	M16x1,5	45	500	4
<b>MDA 80 16 D</b>	80	M16x2	45	500	4
<b>MDA 12 10 B</b>	120	M10x1,5	45	1000	4
<b>MDA 12 12 A</b>	120	M12x1,25	45	1000	4
<b>MDA 12 16 B</b>	120	M16x1,5	45	1000	4
<b>MDA 12 16 D</b>	120	M16x2	45	1000	4
<b>MDA 16 16 B</b>	160	M16x1,5	55	2000	1
<b>MDA 16 16 D</b>	160	M16x2	55	2000	1
<b>MDA 16 20 B</b>	160	M20x1,5	55	2000	1
<b>MDA 16 20 E</b>	160	M20x2,5	55	2000	1
<b>MDA 20 20 B</b>	200	M20x1,5	55	5000	1
<b>MDA 20 20 E</b>	200	M20x2,5	55	5000	1
<b>MDA 20 24 F</b>	200	M24x3	55	5000	1
<b>MDA 20 30 F</b>	200	M30x3	55	5000	1
<b>MDA 24 20 B</b>	240	M20x1,5	65	7000	1
<b>MDA 24 20 E</b>	240	M20x2,5	65	7000	1
<b>MDA 24 24 F</b>	240	M24x3	65	7000	1
<b>MDA 24 30 F</b>	240	M30x3	65	7000	1

## MDAS MACHINE LEVELLING FIXED FEET



Product Code	D	d	L	H	Kg	Pckg
<b>MDAS 80 16 10</b>	80	M16	100	156	600	4
<b>MDAS 80 16 15</b>	80	M16	150	206	800	4
<b>MDAS 12 16 10</b>	120	M16	100	158	1000	1
<b>MDAS 12 16 15</b>	120	M16	150	208	1200	1
<b>MDAS 12 20 10</b>	120	M20	100	158	1200	1
<b>MDAS 12 20 15</b>	160	M20	150	208	1400	1
<b>MDAS 16 16 10</b>	160	M16	100	164	2000	1
<b>MDAS 16 16 15</b>	160	M16	150	214	2200	1
<b>MDAS 16 20 10</b>	160	M20	100	164	2200	1
<b>MDAS 16 20 15</b>	160	M20	150	214	2400	1
<b>MDAS 16 24 15</b>	200	M24	150	214	2800	1
<b>MDAS 20 20 10</b>	200	M20	100	219	3000	1
<b>MDAS 20 20 15</b>	200	M20	150	219	3200	1
<b>MDAS 20 24 15</b>	200	M24	150	219	3600	1


## MDASc MACHINE LEVELLING FIXED FEET / Zinc



Product Code	D	d	L	H	Kg	Pckg
<b>MDASc 80 16 10</b>	80	M16	100	156	600	4
<b>MDASc 80 16 15</b>	80	M16	150	206	800	4
<b>MDASc 12 16 10</b>	120	M16	100	158	1000	1
<b>MDASc 12 16 15</b>	120	M16	150	208	1200	1
<b>MDASc 12 20 10</b>	120	M20	100	158	1200	1
<b>MDASc 12 20 15</b>	160	M20	150	208	1400	1
<b>MDASc 16 16 10</b>	160	M16	100	164	2000	1
<b>MDASc 16 16 15</b>	160	M16	150	214	2200	1
<b>MDASc 16 20 10</b>	160	M20	100	164	2200	1
<b>MDASc 16 20 15</b>	160	M20	150	214	2400	1
<b>MDASc 16 24 15</b>	200	M24	150	214	2800	1
<b>MDASc 20 20 10</b>	200	M20	100	219	3000	1
<b>MDASc 20 20 15</b>	200	M20	150	219	3200	1
<b>MDASc 20 24 15</b>	200	M24	150	219	3600	1

Rubber	Product Code	D	Pckg
	<b>MDA 080 Rubber</b>	80	10
	<b>MDA 120 Rubber</b>	120	8
	<b>MDA 160 Rubber</b>	160	2
	<b>MDA 200 Rubber</b>	200	2
	<b>MDA 240 Rubber</b>	240	1


MDA rubber series can also be used in MDAS, MDAI and MDASc products.



## MAS METAL FIXED FEET



Product Code	D	d	h	H	Sw	Kg	Pckg
<b>MAS 60 16 10</b>	60	M16	100	132	22	900	4
<b>MAS 60 16 15</b>	60	M16	150	182	22	900	4
<b>MAS 80 16 10</b>	80	M16	100	132	19	900	4
<b>MAS 80 16 15</b>	80	M16	150	182	19	900	4
<b>MAS 80 20 10</b>	80	M20	100	132	22	1200	4
<b>MAS 80 20 15</b>	80	M20	150	182	22	1200	4
<b>MAS 10 16 10</b>	100	M16	100	132	19	1200	4
<b>MAS 10 16 15</b>	100	M16	150	182	19	1200	4
<b>MAS 10 20 10</b>	100	M20	100	132	22	1500	4
<b>MAS 10 20 15</b>	100	M20	150	182	22	1500	4
<b>MAS 10 24 15</b>	100	M24	150	182	27	1500	4




Rubber	Product Code	D	Pckg
	<b>MAS 060 Rubber</b>	60	100
	<b>MAS 080 Rubber</b>	80	100
	<b>MAS 100 Rubber</b>	100	100

MAS rubber series can also be used in **MAM** and **MAIM** products.

## DA CAST IRON FEET




Product Code	D	d	h	Kg	Pckg
<b>DA 100 16 100</b>	100	M16x1,5	100	750	4
<b>DA 140 16 100</b>	140	M16x1,5	100	1500	2
<b>DA 160 20 100</b>	160	M20x1,5	100	2500	2



## SA STEEL SHEET FEET




Product Code	D	d	h	H	Sw	Kg	Pckg
<b>SA 10 12 90</b>	100	M12	90	116	17	450	8
<b>SA 10 16 10</b>	100	M16	100	126	24	550	8
<b>SA 10 20 15</b>	100	M20	150	176	24	700	8



## SAI STEEL SHEET FEET INOX



Product Code	D	d	h	H	Sw	Kg	Pckg
<b>SAI 10 12 70</b>	100	M12	70	96	17	450	8
<b>SAI 10 16 10</b>	100	M16	100	126	24	550	8
<b>SAI 10 20 10</b>	100	M20	100	126	24	700	8




# MAM

METAL ARTICULATED FEET



Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>MAM 60 10 45</b>	60	M10	45	78	13	12	450	8
<b>MAM 60 10 50</b>	60	M10	50	83	13	12	450	8
<b>MAM 60 10 60</b>	60	M10	60	93	13	12	450	8
<b>MAM 60 10 75</b>	60	M10	75	108	13	12	450	8
<b>MAM 60 10 90</b>	60	M10	90	123	13	12	450	8
<b>MAM 60 10 10</b>	60	M10	100	133	13	12	450	8
<b>MAM 60 10 12</b>	60	M10	120	153	13	12	450	8
<b>MAM 60 12 45</b>	60	M12	45	78	13	12	450	8
<b>MAM 60 12 50</b>	60	M12	50	83	13	12	450	8
<b>MAM 60 12 60</b>	60	M12	60	93	13	12	450	8
<b>MAM 60 12 75</b>	60	M12	75	108	13	12	450	8
<b>MAM 60 12 90</b>	60	M12	90	123	13	12	450	8
<b>MAM 60 12 10</b>	60	M12	100	133	13	12	450	8
<b>MAM 60 12 12</b>	60	M12	120	153	13	12	450	8
<b>MAM 60 16 60</b>	60	M16	60	95	19	18	500	8
<b>MAM 60 16 10</b>	60	M16	100	135	19	18	500	8
<b>MAM 60 16 15</b>	60	M16	150	185	19	18	500	8
<b>MAM 60 16 20</b>	60	M16	200	235	19	18	500	8
<b>MAM 60 20 10</b>	60	M20	100	135	22	18	500	8
<b>MAM 60 20 15</b>	60	M20	150	185	22	18	500	8
<b>MAM 60 20 20</b>	60	M20	200	235	22	18	500	8
<b>MAM 80 16 60</b>	80	M16	60	95	19	18	600	8
<b>MAM 80 16 10</b>	80	M16	100	135	19	18	600	8
<b>MAM 80 16 15</b>	80	M16	150	185	19	18	600	8
<b>MAM 80 16 20</b>	80	M16	200	235	19	18	600	8
<b>MAM 80 20 10</b>	80	M20	100	135	22	18	600	8
<b>MAM 80 20 15</b>	80	M20	150	185	19	18	600	8
<b>MAM 80 20 20</b>	80	M20	200	235	22	18	600	8
<b>MAM 10 16 60</b>	100	M16	60	95	19	18	600	8
<b>MAM 10 16 10</b>	100	M16	100	135	19	18	600	8
<b>MAM 10 16 15</b>	100	M16	150	185	19	18	600	8
<b>MAM 10 16 20</b>	100	M16	200	235	22	18	600	8
<b>MAM 10 20 10</b>	100	M20	100	135	22	18	600	8
<b>MAM 10 20 15</b>	100	M20	150	185	22	18	600	8
<b>MAM 10 20 20</b>	100	M20	200	235	22	18	600	8




# MAIM

METAL PLATED FEET INOX



Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>MAIM 60 10 50</b>	60	M10	50	83	13	12	900	4
<b>MAIM 60 10 75</b>	60	M10	75	108	13	12	900	4
<b>MAIM 60 10 10</b>	60	M10	100	133	13	12	900	4
<b>MAIM 60 12 50</b>	60	M12	50	83	13	12	900	4
<b>MAIM 60 12 75</b>	60	M12	75	108	13	12	900	4
<b>MAIM 60 12 10</b>	60	M12	100	133	13	12	900	4
<b>MAIM 60 16 10</b>	60	M16	100	135	19	18	1000	4
<b>MAIM 60 16 15</b>	60	M16	150	185	19	18	1000	4
<b>MAIM 60 16 20</b>	60	M16	200	235	19	18	1000	4
<b>MAIM 60 20 10</b>	60	M20	100	135	22	18	1000	4
<b>MAIM 60 20 15</b>	60	M20	150	185	22	18	1000	4
<b>MAIM 60 20 20</b>	60	M20	200	135	22	18	1000	4
<b>MAIM 80 16 10</b>	80	M16	100	135	19	18	1200	4
<b>MAIM 80 16 15</b>	80	M16	150	135	19	18	1200	4
<b>MAIM 80 16 20</b>	80	M16	200	235	19	18	1200	4
<b>MAIM 80 20 10</b>	80	M20	100	135	22	18	1200	4
<b>MAIM 80 20 15</b>	80	M20	150	185	19	18	1200	4
<b>MAIM 80 20 20</b>	80	M20	200	235	22	18	1200	4
<b>MAIM 10 16 10</b>	100	M16	100	135	19	18	1500	4
<b>MAIM 10 16 15</b>	100	M16	150	185	19	18	1500	4
<b>MAIM 10 16 20</b>	100	M16	200	235	22	18	1500	4
<b>MAIM 10 20 10</b>	100	M20	100	135	22	18	1500	4
<b>MAIM 10 20 15</b>	100	M20	150	185	22	18	1500	4
<b>MAIM 10 20 20</b>	100	M20	200	235	22	18	1500	4



## KT RUBBER BASE



Product Code	L1xL2	H	Kg	Pckg
KT 100 20	100x100	20	500	4
KT 100 30	100x100	30	500	4
KT 120 20	120x120	20	750	4
KT 120 30	120x120	30	750	4
KT 150 20	150x150	20	1000	4
KT 150 30	150x150	30	1000	4
KT 200 20	200x200	20	1250	2
KT 200 30	200x200	30	1250	2

## KTs RUBBER BASE / Black




Product Code	L1xL2	H	Kg	Pckg
KTs 100 20	100x100	20	500	4
KTs 100 30	100x100	30	500	4
KTs 120 20	120x120	20	750	4
KTs 120 30	120x120	30	750	4
KTs 150 20	150x150	20	1000	4
KTs 150 30	150x150	30	1000	4
KTs 200 20	200x200	20	1250	2
KTs 200 30	200x200	30	1250	2

## RUBBER



Product Code	D	Pckg
KKA 040 Rubber	40	100
KKA 060 Rubber	60	40
KKA 080 Rubber	80	20
KKA 100 Rubber	100	15
KKA 120 Rubber	120	10
MDA 080 Rubber	80	10
MDA 120 Rubber	120	8
MDA 160 Rubber	160	2
MDA 200 Rubber	200	2
MDA 240 Rubber	240	1
MAS 060 Rubber	60	100
MAS 080 Rubber	80	100
MAS 100 Rubber	100	100
PAM 040 Rubber	40	100
PAM 050 Rubber	50	100
PAM 060 Rubber	60	100
PAM 080 Rubber	80	100
PAM 110 Rubber	110	50
PAS 125 Rubber	125	50

# PAM PLASTIC ARTICULATED FEET



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
PAM 40 08 45	40	M8	45	75	13	12	400	25
PAM 40 08 60	40	M8	60	90	13	12	400	25
PAM 40 10 45	40	M10	45	75	13	12	400	25
PAM 40 10 50	40	M10	50	80	13	12	400	25
PAM 40 10 60	40	M10	60	90	13	12	400	25
PAM 40 10 75	40	M10	75	105	13	12	400	25
PAM 40 10 90	40	M10	90	120	13	12	400	25
PAM 40 10 10	40	M10	100	130	13	12	400	25
PAM 40 10 12	40	M10	120	150	13	12	400	25
PAM 40 12 45	40	M12	45	75	13	12	400	25
PAM 40 12 50	40	M12	50	80	13	12	400	25
PAM 40 12 60	40	M12	60	90	13	12	400	25
PAM 40 12 75	40	M12	75	105	13	12	400	25
PAM 40 12 90	40	M12	90	120	13	12	400	25
PAM 40 12 10	40	M12	100	130	13	12	400	25
PAM 40 12 12	40	M12	120	150	13	12	400	25
PAM 50 08 45	50	M8	45	75	13	12	450	25
PAM 50 08 60	50	M8	60	90	13	12	450	25
PAM 50 10 45	50	M10	45	75	13	12	450	25
PAM 50 10 50	50	M10	50	80	13	12	450	25
PAM 50 10 60	50	M10	60	90	13	12	450	25
PAM 50 10 75	50	M10	75	105	13	12	450	25
PAM 50 10 90	50	M10	90	120	13	12	450	25
PAM 50 10 10	50	M10	100	130	13	12	450	25
PAM 50 10 12	50	M10	120	150	13	12	450	25
PAM 50 12 45	50	M12	45	75	13	12	450	25
PAM 50 12 50	50	M12	50	80	13	12	450	25
PAM 50 12 60	50	M12	60	90	13	12	450	25
PAM 50 12 75	50	M12	75	105	13	12	450	25
PAM 50 12 90	50	M12	90	120	13	12	450	25
PAM 50 12 10	50	M12	100	130	13	12	450	25
PAM 50 12 12	50	M12	120	150	13	12	450	25
PAM 60 08 45	60	M8	45	79	13	12	500	16
PAM 60 08 60	60	M8	60	94	13	12	500	16
PAM 60 10 45	60	M10	45	79	13	12	500	16
PAM 60 10 50	60	M10	50	84	13	12	500	16
PAM 60 10 60	60	M10	60	94	13	12	500	16
PAM 60 10 75	60	M10	75	109	13	12	500	16
PAM 60 10 90	60	M10	90	124	13	12	500	16
PAM 60 10 10	60	M10	100	134	13	12	500	16
PAM 60 10 12	60	M12	120	154	13	12	500	16

Rubber	Product Code	D	Pckg
	PAM 040 Rubber	40	100
	PAM 050 Rubber	50	100
	PAM 060 Rubber	60	100
	PAM 080 Rubber	80	100
	PAM 110 Rubber	110	50


PAM rubber series can also be used in PAIM, PAMD, PAIMD, PMA and PAMB products.

## PAM PLASTIC ARTICULATED FEET



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAM 60 12 60</b>	60	M12	60	100	19	18	500	16
<b>PAM 60 12 10</b>	60	M12	100	140	19	18	500	16
<b>PAM 60 12 15</b>	60	M12	150	190	19	18	500	16
<b>PAM 60 16 60</b>	60	M16	60	100	19	18	500	16
<b>PAM 60 16 10</b>	60	M16	100	140	19	18	500	16
<b>PAM 60 16 15</b>	60	M16	150	190	19	18	500	16
<b>PAM 60 16 20</b>	60	M16	200	240	22	18	500	16
<b>PAM 60 20 10</b>	60	M20	100	140	22	18	500	16
<b>PAM 60 20 15</b>	60	M20	150	190	22	18	500	16
<b>PAM 60 20 20</b>	60	M20	200	240	22	18	500	16




## PAMZB PLASTIC ARTICULATED FEET




Temperature resistance: -20°C to +100°C

Product Code	D	d	D2	D3	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAMZB 80 12 60</b>	80	M12	54	8	60	100	19	18	600	16
<b>PAMZB 80 12 10</b>	80	M12	54	8	100	140	19	18	600	16
<b>PAMZB 80 12 15</b>	80	M12	54	8	150	190	19	18	600	16
<b>PAMZB 80 16 60</b>	80	M16	54	8	60	100	19	18	600	16
<b>PAMZB 80 16 10</b>	80	M16	54	8	100	140	19	18	600	16
<b>PAMZB 80 16 15</b>	80	M16	54	8	150	190	19	18	600	16
<b>PAMZB 80 16 20</b>	80	M16	54	8	200	240	22	18	600	16
<b>PAMZB 80 20 10</b>	80	M20	54	8	100	140	22	18	600	16
<b>PAMZB 80 20 15</b>	80	M20	54	8	150	190	22	18	600	16
<b>PAMZB 80 20 20</b>	80	M20	54	8	200	240	22	18	600	16
<b>PAMZB 11 12 60</b>	110	M12	83	12	60	100	19	18	1000	16
<b>PAMZB 11 12 10</b>	110	M12	83	12	100	140	19	18	1000	16
<b>PAMZB 11 12 15</b>	110	M12	83	12	150	190	19	18	1000	16
<b>PAMZB 11 16 60</b>	110	M16	83	12	60	100	19	18	1000	16
<b>PAMZB 11 16 10</b>	110	M16	83	12	100	140	19	18	1000	16
<b>PAMZB 11 16 15</b>	110	M16	83	12	150	190	19	18	1000	16
<b>PAMZB 11 16 20</b>	110	M16	83	12	200	240	22	18	1000	16
<b>PAMZB 11 20 10</b>	110	M20	83	12	100	140	22	18	1000	16
<b>PAMZB 11 20 15</b>	110	M20	83	12	150	190	22	18	1000	16
<b>PAMZB 11 20 20</b>	110	M20	83	12	200	240	22	18	1000	16



## PAIM

PLASTIC ARTICULATED FEET INOX



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAIM 40 08 60</b>	40	M8	60	89	13	12	400	16
<b>PAIM 40 10 50</b>	40	M10	50	79	13	12	400	16
<b>PAIM 40 10 75</b>	40	M10	75	104	13	12	400	16
<b>PAIM 40 10 10</b>	40	M10	100	129	13	12	400	16
<b>PAIM 40 12 50</b>	40	M12	50	79	13	12	400	16
<b>PAIM 40 12 75</b>	40	M12	75	104	13	12	400	16
<b>PAIM 40 12 10</b>	40	M12	100	129	13	12	400	16
<b>PAIM 50 08 60</b>	50	M8	60	89	13	12	450	16
<b>PAIM 50 10 50</b>	50	M10	50	79	13	12	450	16
<b>PAIM 50 10 75</b>	50	M10	75	104	13	12	450	16
<b>PAIM 50 10 10</b>	50	M10	100	129	13	12	450	16
<b>PAIM 50 12 50</b>	50	M12	50	79	13	12	450	16
<b>PAIM 50 12 75</b>	50	M12	75	104	13	12	450	16
<b>PAIM 50 12 10</b>	50	M12	100	129	13	12	450	16
<b>PAIM 60 16 10</b>	60	M16	100	131	19	18	500	16
<b>PAIM 60 16 15</b>	60	M16	150	181	19	18	500	16
<b>PAIM 60 20 10</b>	60	M20	100	131	22	18	500	16
<b>PAIM 60 20 15</b>	60	M20	150	181	22	18	500	16


## PAIMZB

PLASTIC ARTICULATED FEET INOX



Temperature resistance: -20°C to +100°C

Product Code	D	d	D2	D3	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAIMZB 80 16 10</b>	80	M16	54	8	100	131	19	18	600	16
<b>PAIMZB 80 16 15</b>	80	M16	54	8	150	181	19	18	600	16
<b>PAIMZB 80 20 10</b>	80	M20	54	8	100	131	22	18	600	16
<b>PAIMZB 80 20 15</b>	80	M20	54	8	150	181	22	18	600	16
<b>PAIMZB 11 16 10</b>	110	M16	83	12	100	131	19	18	1000	16
<b>PAIMZB 11 16 15</b>	110	M16	83	12	150	181	19	18	1000	16
<b>PAIMZB 11 20 10</b>	110	M20	83	12	100	131	22	18	1000	16
<b>PAIMZB 11 20 15</b>	110	M20	83	12	150	181	22	18	1000	16




## PAMB PLASTIC ARTICULATED FEET INOX

Temperature resistance: -20°C to +100°C



Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAMB 60 10</b>	60	M10	24	47	19	18	500	10
<b>PAMB 60 12</b>	60	M12	24	47	19	18	500	10
<b>PAMB 60 16</b>	60	M16	24	47	19	18	500	10




## PAMBZB PLASTIC ARTICULATED FEET INOX

Temperature resistance: -20°C to +100°C




Product Code	D	d	D2	D3	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAMBZB 80 10</b>	80	M10	54	8	24	47	19	18	600	10
<b>PAMBZB 80 12</b>	80	M12	54	8	24	47	19	18	600	10
<b>PAMBZB 80 16</b>	80	M16	54	8	24	47	19	18	600	10
<b>PAMBZB 11 10</b>	110	M10	83	12	24	47	19	18	1000	4
<b>PAMBZB 11 12</b>	110	M12	83	12	24	47	19	18	1000	4
<b>PAMBZB 11 16</b>	110	M16	83	12	24	47	19	18	1000	4



# PAMD

PLASTIC ARTICULATED FEET



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAMD 40 08 45</b>	40	M8	45	74	13	12	400	25
<b>PAMD 40 08 60</b>	40	M8	60	89	13	12	400	25
<b>PAMD 40 10 45</b>	40	M10	45	74	13	12	400	25
<b>PAMD 40 10 50</b>	40	M10	50	79	13	12	400	25
<b>PAMD 40 10 60</b>	40	M10	60	89	13	12	400	25
<b>PAMD 40 10 75</b>	40	M10	75	104	13	12	400	25
<b>PAMD 40 10 90</b>	40	M10	90	119	13	12	400	25
<b>PAMD 40 10 10</b>	40	M10	100	129	13	12	400	25
<b>PAMD 40 10 12</b>	40	M10	120	149	13	12	400	25
<b>PAMD 40 12 45</b>	40	M12	45	74	13	12	400	25
<b>PAMD 40 12 50</b>	40	M12	50	79	13	12	400	25
<b>PAMD 40 12 60</b>	40	M12	60	89	13	12	400	25
<b>PAMD 40 12 75</b>	40	M12	75	104	13	12	400	25
<b>PAMD 40 12 90</b>	40	M12	90	119	13	12	400	25
<b>PAMD 40 12 10</b>	40	M12	100	129	13	12	400	25
<b>PAMD 40 12 12</b>	40	M12	120	149	13	12	400	25
<b>PAMD 50 08 45</b>	50	M8	45	74	13	12	450	25
<b>PAMD 50 08 60</b>	50	M8	60	89	13	12	450	25
<b>PAMD 50 10 45</b>	50	M10	45	74	13	12	450	25
<b>PAMD 50 10 50</b>	50	M10	50	79	13	12	450	25
<b>PAMD 50 10 60</b>	50	M10	60	89	13	12	450	25
<b>PAMD 50 10 75</b>	50	M10	75	104	13	12	450	25
<b>PAMD 50 10 90</b>	50	M10	90	119	13	12	450	25
<b>PAMD 50 10 10</b>	50	M10	100	129	13	12	450	25
<b>PAMD 50 10 12</b>	50	M10	120	149	13	12	450	25
<b>PAMD 50 12 45</b>	50	M12	45	74	13	12	450	25
<b>PAMD 50 12 50</b>	50	M12	50	79	13	12	450	25
<b>PAMD 50 12 60</b>	50	M12	60	89	13	12	450	25
<b>PAMD 50 12 75</b>	50	M12	75	104	13	12	450	25
<b>PAMD 50 12 90</b>	50	M12	90	119	13	12	450	25
<b>PAMD 50 12 10</b>	50	M12	100	129	13	12	450	25
<b>PAMD 50 12 12</b>	50	M12	120	149	13	12	450	25
<b>PAMD 60 08 45</b>	60	M8	45	85	13	12	500	16
<b>PAMD 60 08 60</b>	60	M8	60	100	13	12	500	16
<b>PAMD 60 10 45</b>	60	M10	45	85	13	12	500	16
<b>PAMD 60 10 50</b>	60	M10	50	90	13	12	500	16
<b>PAMD 60 10 60</b>	60	M10	60	100	13	12	500	16
<b>PAMD 60 10 75</b>	60	M10	75	115	13	12	500	16
<b>PAMD 60 10 90</b>	60	M10	90	130	13	12	500	16
<b>PAMD 60 10 10</b>	60	M10	100	140	13	12	500	16
<b>PAMD 60 10 12</b>	60	M10	120	160	13	12	500	16


# PAMD

PLASTIC ARTICULATED FEET

Temperature resistance: -20°C to +100°C



Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAMD 60 12 60</b>	60	M12	60	107	19	18	500	16
<b>PAMD 60 12 10</b>	60	M12	100	147	19	18	500	16
<b>PAMD 60 12 15</b>	60	M12	150	197	19	18	500	16
<b>PAMD 60 16 60</b>	60	M16	60	107	19	18	500	16
<b>PAMD 60 16 10</b>	60	M16	100	147	19	18	500	16
<b>PAMD 60 16 15</b>	60	M16	150	197	19	18	500	16
<b>PAMD 60 16 20</b>	60	M16	200	247	22	18	500	16
<b>PAMD 60 20 10</b>	60	M20	100	147	22	18	500	16
<b>PAMD 60 20 15</b>	60	M20	150	197	22	18	500	16
<b>PAMD 60 20 20</b>	60	M20	200	247	22	18	500	16
<b>PAMD 80 12 60</b>	80	M12	60	107	19	18	600	16
<b>PAMD 80 12 10</b>	80	M12	100	147	19	18	600	16
<b>PAMD 80 12 15</b>	80	M12	150	197	19	18	600	16
<b>PAMD 80 16 60</b>	80	M16	60	107	19	18	600	16
<b>PAMD 80 16 10</b>	80	M16	100	147	19	18	600	16
<b>PAMD 80 16 15</b>	80	M16	150	197	19	18	600	16
<b>PAMD 80 16 20</b>	80	M16	200	247	22	18	600	16
<b>PAMD 80 20 10</b>	80	M20	100	147	22	18	600	16
<b>PAMD 80 20 15</b>	80	M20	150	197	22	18	600	16
<b>PAMD 80 20 20</b>	80	M20	200	247	22	18	600	16
<b>PAMD 11 12 60</b>	110	M12	60	107	19	18	1000	16
<b>PAMD 11 12 10</b>	110	M12	100	147	19	18	1000	16
<b>PAMD 11 12 15</b>	110	M12	150	197	19	18	1000	16
<b>PAMD 11 16 60</b>	110	M16	60	107	19	18	1000	16
<b>PAMD 11 16 10</b>	110	M16	100	147	19	18	1000	16
<b>PAMD 11 16 15</b>	110	M16	150	197	19	18	1000	16
<b>PAMD 11 16 20</b>	110	M16	200	247	22	18	1000	16
<b>PAMD 11 20 10</b>	110	M20	100	147	22	18	1000	16
<b>PAMD 11 20 15</b>	110	M20	150	197	22	18	1000	16
<b>PAMD 11 20 20</b>	110	M20	200	247	22	18	1000	16




# PAIMD

PLASTIC ARTICULATED FEET INOX

Temperature resistance: -20°C to +100°C



Product Code	D	d	h	H	Sw	Sphere Foot	Kg	Pckg
<b>PAIMD 40 08 60</b>	40	M8	60	89	13	12	400	25
<b>PAIMD 40 10 50</b>	40	M10	50	79	13	12	400	25
<b>PAIMD 40 10 75</b>	40	M10	75	104	13	12	400	25
<b>PAIMD 40 10 10</b>	40	M10	100	129	13	12	400	25
<b>PAIMD 40 12 50</b>	40	M12	50	79	13	12	400	25
<b>PAIMD 40 12 75</b>	40	M12	75	104	13	12	400	25
<b>PAIMD 40 12 10</b>	40	M12	100	129	13	12	400	25
<b>PAIMD 50 08 60</b>	50	M8	60	89	13	12	450	25
<b>PAIMD 50 10 50</b>	50	M10	50	79	13	12	450	25
<b>PAIMD 50 10 75</b>	50	M10	75	104	13	12	450	25
<b>PAIMD 50 10 10</b>	50	M10	100	129	13	12	450	25
<b>PAIMD 50 12 50</b>	50	M12	50	79	13	12	450	25
<b>PAIMD 50 12 75</b>	50	M12	75	104	13	12	450	25
<b>PAIMD 50 12 10</b>	50	M12	100	129	13	12	450	25
<b>PAIMD 60 16 10</b>	60	M16	100	131	19	18	500	16
<b>PAIMD 60 16 15</b>	60	M16	150	181	19	18	500	16
<b>PAIMD 60 20 10</b>	60	M20	100	131	22	18	500	16
<b>PAIMD 60 20 15</b>	60	M20	150	181	22	18	500	16
<b>PAIMD 80 16 10</b>	80	M16	100	131	19	18	600	16
<b>PAIMD 80 16 15</b>	80	M16	150	181	19	18	600	16
<b>PAIMD 80 20 10</b>	80	M20	100	131	22	18	600	16
<b>PAIMD 80 20 15</b>	80	M20	150	181	22	18	600	16
<b>PAIMD 11 16 10</b>	110	M16	100	131	19	18	1000	16
<b>PAIMD 11 16 15</b>	110	M16	150	181	19	18	1000	16
<b>PAIMD 11 20 10</b>	110	M20	100	131	22	18	1000	16
<b>PAIMD 11 20 15</b>	110	M20	150	181	22	18	1000	16




# PMA

PLASTIC ARTICULATED FEET

Temperature resistance: -20°C to +100°C



Product Code	D	d	h	H	Sw	Sphere Foot	Pckg
<b>PMA 60 10 50</b>	60	M10	50	94	24	18	16
<b>PMA 60 10 10</b>	60	M10	100	144	24	18	16
<b>PMA 60 12 50</b>	60	M12	50	94	24	18	16
<b>PMA 60 12 10</b>	60	M12	100	144	24	18	16
<b>PMA 60 16 50</b>	60	M16	50	94	24	18	16
<b>PMA 60 16 10</b>	60	M16	100	144	24	18	16
<b>PMA 60 16 15</b>	60	M16	150	194	24	18	16
<b>PMA 60 16 20</b>	60	M16	200	244	24	18	16
<b>PMA 60 20 50</b>	60	M20	50	94	24	18	16
<b>PMA 60 20 10</b>	60	M20	100	144	24	18	16
<b>PMA 60 20 15</b>	60	M20	150	194	24	18	16
<b>PMA 60 20 20</b>	60	M20	200	244	24	18	16
<b>PMA 80 10 50</b>	80	M10	50	94	24	18	16
<b>PMA 80 10 10</b>	80	M10	100	144	24	18	16
<b>PMA 80 12 50</b>	80	M12	50	94	24	18	16
<b>PMA 80 12 10</b>	80	M12	100	144	24	18	16
<b>PMA 80 16 50</b>	80	M16	50	94	24	18	16
<b>PMA 80 16 10</b>	80	M16	100	144	24	18	16
<b>PMA 80 16 15</b>	80	M16	150	194	24	18	16
<b>PMA 80 16 20</b>	80	M16	200	244	24	18	16
<b>PMA 80 20 50</b>	80	M20	50	94	24	18	16
<b>PMA 80 20 10</b>	80	M20	100	144	24	18	16
<b>PMA 80 20 15</b>	80	M20	150	194	24	18	16
<b>PMA 80 20 20</b>	80	M20	200	244	24	18	16
<b>PMA 11 10 50</b>	110	M10	50	94	24	18	16
<b>PMA 11 10 10</b>	110	M10	100	144	24	18	16
<b>PMA 11 12 50</b>	110	M12	50	94	24	18	16
<b>PMA 11 12 10</b>	110	M12	100	144	24	18	16
<b>PMA 11 16 50</b>	110	M16	50	94	24	18	16
<b>PMA 11 16 10</b>	110	M16	100	144	24	18	16
<b>PMA 11 16 15</b>	110	M16	150	194	24	18	16
<b>PMA 11 16 20</b>	110	M16	200	244	24	18	16
<b>PMA 11 20 50</b>	110	M20	50	94	24	18	16
<b>PMA 11 20 10</b>	110	M20	100	144	24	18	16
<b>PMA 11 20 15</b>	110	M20	150	194	24	18	16
<b>PMA 11 20 20</b>	110	M20	200	244	24	18	16




# PRA

PLASTIC FEET




Temperature resistance: -20°C to +100°C

Product Code	D	d	h	I1	Kg	Pckg
<b>PRA 35 08 40</b>	35	M8	40	26	45	100
<b>PRA 35 08 50</b>	35	M8	50	26	45	100
<b>PRA 35 08 60</b>	35	M8	60	26	45	100
<b>PRA 35 10 40</b>	35	M10	40	26	50	100
<b>PRA 35 10 50</b>	35	M10	50	26	50	100
<b>PRA 35 10 60</b>	35	M10	60	26	50	100
<b>PRA 35 12 40</b>	35	M12	40	26	55	100
<b>PRA 35 12 50</b>	35	M12	50	26	55	100
<b>PRA 35 12 60</b>	35	M12	60	26	55	100
<b>PRA 45 10 40</b>	45	M10	40	30	75	50
<b>PRA 45 10 50</b>	45	M10	50	30	75	50
<b>PRA 45 10 60</b>	45	M10	60	30	75	50
<b>PRA 45 12 40</b>	45	M12	40	30	80	50
<b>PRA 45 12 50</b>	45	M12	50	30	80	50
<b>PRA 45 12 60</b>	45	M12	60	30	80	50
<b>PRA 45 14 40</b>	45	M14	40	30	85	50
<b>PRA 45 14 50</b>	45	M14	50	30	85	50
<b>PRA 45 14 60</b>	45	M14	60	30	85	50
<b>PRA 45 16 40</b>	45	M16	40	30	90	50
<b>PRA 45 16 50</b>	45	M16	50	30	90	50
<b>PRA 45 16 60</b>	45	M16	60	30	90	50
<b>PRA 55 10 40</b>	55	M10	40	35	100	50
<b>PRA 55 10 50</b>	55	M10	50	35	100	50
<b>PRA 55 10 60</b>	55	M10	60	35	100	50
<b>PRA 55 12 40</b>	55	M12	40	35	125	50
<b>PRA 55 12 50</b>	55	M12	50	35	125	50
<b>PRA 55 12 60</b>	55	M12	60	35	125	50
<b>PRA 55 14 40</b>	55	M14	40	35	150	50
<b>PRA 55 14 50</b>	55	M14	50	35	150	50
<b>PRA 55 14 60</b>	55	M14	60	35	150	50
<b>PRA 55 16 40</b>	55	M16	40	35	175	50
<b>PRA 55 16 50</b>	55	M16	50	35	175	50
<b>PRA 55 16 60</b>	55	M16	60	35	175	50




## PRAB PLASTIC FEET CAMBERED



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	L	Kg	Pckg
PRAB 46 10 40	45	M10	40	33	75	50
PRAB 46 10 50	45	M10	50	33	75	50
PRAB 46 10 60	45	M10	60	33	75	50
PRAB 46 12 40	45	M12	40	33	80	50
PRAB 46 12 50	45	M12	50	33	80	50
PRAB 46 12 60	45	M12	60	33	80	50
PRAB 46 14 40	45	M14	40	33	85	50
PRAB 46 14 50	45	M14	50	33	85	50
PRAB 46 14 60	45	M14	60	33	85	50
PRAB 46 16 40	45	M16	40	33	90	50
PRAB 46 16 50	45	M16	50	33	90	50
PRAB 46 16 60	45	M16	60	33	90	50


## PRd PLASTIC TUBE / Rectangle



Temperature resistance: -20°C to +100°C

Product Code	L1xL2	d	H	T	Kg	Pckg
PRd 30 40 10	30x40	M10	38	1,5	330	100
PRd 30 40 12	30x40	M12	38	1,5	330	100
PRd 30 50 10	30x50	M10	38	1,5	400	100
PRd 30 50 12	30x50	M12	38	1,5	400	100
PRd 40 60 10	40x60	M10	45	1,5	525	25
PRd 40 60 12	40x60	M12	45	1,5	525	25
PRd 40 60 14	40x60	M14	45	1,5	575	25
PRd 40 60 16	40x60	M16	45	1,5	600	25

## PRk PLASTIC TUBE / Square




Temperature resistance: -20°C to +100°C

Product Code	L1xL2	d	H	T	Kg	Pckg
PRk 25 25 10	25x25	M10	25,7	1,5	275	100
PRk 30 30 08	30x30	M8	30	1,5	275	100
PRk 30 30 10	30x30	M10	30	1,5	300	100
PRk 30 30 12	30x30	M12	30	1,5	325	100
PRk 40 40 10	40x40	M10	38	1,5	400	50
PRk 40 40 12	40x40	M12	38	1,5	400	50
PRk 40 40 14	40x40	M14	38	1,5	450	50
PRk 40 40 16	40x40	M16	38	1,5	500	50
PRk 50 50 10	50x50	M10	45	1,5	525	25
PRk 50 50 12	50x50	M12	45	1,5	525	25
PRk 50 50 14	50x50	M14	45	1,5	575	25
PRk 50 50 16	50x50	M16	45	1,5	600	25

## PAS

PLASTIC FIXED FEET




Temperature resistance: -20°C to +100°C

Product Code	D	d	h	H	Sw	Kg	Pckg
PAS 12 16 10	125	M16	100	160	19	1500	4
PAS 12 16 15	125	M16	150	210	19	1500	4
PAS 12 20 10	125	M20	100	160	22	1500	4
PAS 12 20 15	125	M20	150	210	22	1500	4
PAS 12 24 15	125	M24	150	210	27	1500	4
PAS 12 20 20	125	M20	200	260	22	1500	4
PAS 12 20 25	125	M20	250	310	22	1500	4
PAS 12 20 30	125	M20	300	360	22	1500	4

## PAIS

PLASTIC FIXED FEET INOX



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	H	Sw	Kg	Pckg
PAIS 12 16 10	125	M16	100	160	19	1500	4
PAIS 12 16 15	125	M16	150	210	19	1500	4
PAIS 12 20 10	125	M20	100	160	22	1500	4
PAIS 12 20 15	125	M20	150	210	22	1500	4
PAIS 12 24 15	125	M24	150	210	27	1500	4
PAIS 12 20 20	125	M20	200	260	22	1500	4
PAIS 12 20 25	125	M20	250	310	22	1500	4
PAIS 12 20 30	125	M20	300	360	22	1500	4

### Rubber

Product Code	D	Pckg
PAS 120 Rubber	120	50

■ PAS rubber series can also be used in PAIS products.


## PPA

PLASTIC FEET



Temperature resistance: -20°C to +100°C

Product Code	D	d	L	h	H	Kg	Pckg
PPA 60 10 70	60	M10	70	28	98	150	50
PPA 60 12 70	60	M12	70	28	98	250	50
PPA 60 16 80	60	M16	80	28	108	400	50




## HIA

HYGIENIC INOX FEET



Product Code	D	H	D2	h1	h2	h3	h4	h5	F	Kg	Pckg
HIA	80	195	60	114	81	27	54	141	M16	500	1




## HIAZb

HYGIENIC INOX FEET CONNECTED to the FLOOR



Product Code	D	I	H	D2	h1	h2	h3	h4	h5	F	Kg	Pckg
HIAZb	80	54	192	60	112	80	24	52	140	M16	500	1




## HPAIMZB

HYGIENIC PLASTIC FEET/INOX FEET CONNECTED to the FLOOR



Product Code	D	H	D2	D3	D4	h1	h2	h3	h4	h5	F	Kg	Pckg
<b>HPAIMZB</b>	80	169	60	54	8	111	58	24	51	118	M16	500	1
<b>HPAIMZB</b>	110	169	60	83	12	111	58	24	51	118	M16	700	1




## HPAIMD

HYGIENIC PLASTIC FEET INOX FLAT



Product Code	D	H	D2	h1	h2	h3	h4	h5	F	Kg	Pckg
<b>HPAIMD</b>	60	176	60	118	58	29	52	140	M16	300	1
<b>HPAIMD</b>	80	176	60	118	58	29	52	140	M16	500	1
<b>HPAIMD</b>	110	176	60	118	58	29	52	140	M16	700	1




## MAMR METAL ARTICULATED FEET/ Rubber

**NEW PRODUCT**



Product Code	D	d	h	H	SW	Sphere Head	Kg	Pkt
MAMR 60 10 45	60	M10	45	84	13	12	450	8
MAMR 60 10 50	60	M10	50	89	13	12	450	8
MAMR 60 10 60	60	M10	60	99	13	12	450	8
MAMR 60 10 75	60	M10	75	114	13	12	450	8
MAMR 60 10 90	60	M10	90	129	13	12	450	8
MAMR 60 10 10	60	M10	100	139	13	12	450	8
MAMR 60 10 12	60	M10	120	159	13	12	450	8
MAMR 60 12 45	60	M12	45	84	13	12	450	8
MAMR 60 12 50	60	M12	50	89	13	12	450	8
MAMR 60 12 60	60	M12	60	99	13	12	450	8
MAMR 60 12 75	60	M12	75	114	13	12	450	8
MAMR 60 12 90	60	M12	90	129	13	12	450	8
MAMR 60 12 10	60	M12	100	139	13	12	450	8
MAMR 60 12 12	60	M12	120	159	13	12	450	8
MAMR 60 16 60	60	M16	60	101	19	18	450	8
MAMR 60 16 10	60	M16	100	141	19	18	450	8
MAMR 60 16 15	60	M16	150	191	19	18	450	8
MAMR 60 16 20	60	M16	200	241	19	18	450	8
MAMR 60 20 10	60	M20	100	141	22	18	450	8
MAMR 60 20 15	60	M20	150	191	22	18	450	8
MAMR 60 20 20	60	M20	200	241	22	18	450	8
MAMR 80 16 60	80	M16	60	101	19	18	500	8
MAMR 80 16 10	80	M16	100	141	19	18	500	8
MAMR 80 16 15	80	M16	150	191	19	18	500	8
MAMR 80 16 20	80	M16	200	241	19	18	500	8
MAMR 80 20 10	80	M20	100	141	22	18	500	8
MAMR 80 20 15	80	M20	150	191	19	18	500	8
MAMR 80 20 20	80	M20	200	241	22	18	500	8
MAMR 10 16 60	100	M16	60	103	19	18	600	8
MAMR 10 16 10	100	M16	100	143	19	18	600	8
MAMR 10 16 15	100	M16	150	193	19	18	600	8
MAMR 10 16 20	100	M16	200	243	22	18	600	8
MAMR 10 20 10	100	M20	100	143	22	18	600	8
MAMR 10 20 15	100	M20	150	193	22	18	600	8
MAMR 10 20 20	100	M20	200	243	22	18	600	8




**MAİM**Mr**** METAL ARTICULATED FEET INOX/ Rubber

**NEW PRODUCT**



Product Code	D	d	h	H	SW	Sphere Head	Kg	Pkt
MAİM <b>R</b> 60 10 50	60	M10	50	89	13	12	450	8
MAİM <b>R</b> 60 10 75	60	M10	75	114	13	12	450	8
MAİM <b>R</b> 60 10 10	60	M10	100	139	13	12	450	8
MAİM <b>R</b> 60 12 50	60	M12	50	89	13	12	450	8
MAİM <b>R</b> 60 12 75	60	M12	75	114	13	12	450	8
MAİM <b>R</b> 60 12 10	60	M12	100	139	13	12	450	8
MAİM <b>R</b> 60 16 10	60	M16	100	141	19	18	450	8
MAİM <b>R</b> 60 16 15	60	M16	150	191	19	18	450	8
MAİM <b>R</b> 60 16 20	60	M16	200	241	19	18	450	8
MAİM <b>R</b> 60 20 10	60	M20	100	141	22	18	450	8
MAİM <b>R</b> 60 20 15	60	M20	150	191	22	18	450	8
MAİM <b>R</b> 60 20 20	60	M20	200	241	22	18	450	8
MAİM <b>R</b> 80 16 10	80	M16	100	141	19	18	500	8
MAİM <b>R</b> 80 16 15	80	M16	150	191	19	18	500	8
MAİM <b>R</b> 80 16 20	80	M16	200	241	19	18	500	8
MAİM <b>R</b> 80 20 10	80	M20	100	141	22	18	500	8
MAİM <b>R</b> 80 20 15	80	M20	150	191	19	18	500	8
MAİM <b>R</b> 80 20 20	80	M20	200	241	22	18	500	8
MAİM <b>R</b> 10 16 10	100	M16	100	143	19	18	600	8
MAİM <b>R</b> 10 16 15	100	M16	150	193	19	18	600	8
MAİM <b>R</b> 10 16 20	100	M16	200	243	22	18	600	8
MAİM <b>R</b> 10 20 10	100	M20	100	143	22	18	600	8
MAİM <b>R</b> 10 20 15	100	M20	150	193	22	18	600	8
MAİM <b>R</b> 10 20 20	100	M20	200	243	22	18	600	8




**PC** PLASTIC HANDWHEEL



Temperature resistance: -20°C to +100°C


Product Code	D	d	d1	H	Pckg
<b>PC 100 06</b>	100	M6	28	40	1
<b>PC 125 08</b>	125	M8	30	45	1
<b>PC 150 08</b>	150	M8	50	50	1
<b>PC 150 10</b>	150	M10	50	50	1
<b>PC 200 08</b>	200	M8	50	55	1
<b>PC 200 10</b>	200	M10	50	55	1



**DC** CAST IRON HANDWHEEL




Product Code	D	H	d	d2	Pckg
<b>DC 75 30 16</b>	75	35	30	-	1
<b>DC 85 35 16</b>	85	40	35	M8	1
<b>DC 10 40 16</b>	100	45	40	M10	1
<b>DC 12 45 16</b>	125	50	45	M10	1
<b>DC 15 50 24</b>	150	55	50	M10	1
<b>DC 18 55 24</b>	180	60	55	M10	1
<b>DC 20 60 24</b>	200	60	60	M10	1
<b>DC 25 65 24</b>	250	65	65	M10	1
<b>DC 30 70 24</b>	300	75	70	M10	1



**AC3** ALUMINIUM HANDWHEEL



Product Code	D	H	d	Pckg
<b>AC3 080</b>	80	29	24	1
<b>AC3 100</b>	100	33	26	1
<b>AC3 125</b>	125	36	28	1
<b>AC3 160</b>	160	40	33	1
<b>AC3 200</b>	200	45	38	1
<b>AC3 250</b>	250	50	48	1




## AC

ALUMINIUM HANDWHEEL



Product Code	D	H	d	d1	d2	h	Pckg
AC 125	125	33	12	31	6	15	1
AC 160	160	39	14	36	6	18	1
AC 200	200	45	18	42	6	20,5	1




## ACt

ALUMINIUM HANDWHEEL / Orange



Product Code	D	H	d	d1	d2	h	Pckg
ACt 125	125	33	12	31	6	15	1
ACt 160	160	39	14	36	6	18	1
ACt 200	200	45	18	42	6	20,5	1




## ACp

ALUMINIUM HANDWHEEL / Chromed




Product Code	D	H	d	d1	d2	h	Pckg
ACp 125	125	33	12	31	6	15	1
ACp 160	160	39	14	36	6	18	1
ACp 200	200	45	18	42	6	20,5	1



## ACKK ALUMINIUM FOLD-AWAY HANDWHEEL




Product Code	D	H	d	d1	I	h	Pckg
<b>ACKK 125</b>	125	33	12	31	6	15	1
<b>ACKK 160</b>	160	39	14	36	6	18	1
<b>ACKK 200</b>	200	45	18	42	6	20,5	1



## ACKKt ALUMINIUM FOLD-AWAY HANDWHEEL / Orange




Product Code	D	H	d	d1	I	h	Pckg
<b>ACKKt 125</b>	125	33	12	31	6	15	1
<b>ACKKt 160</b>	160	39	14	36	6	18	1
<b>ACKKt 200</b>	200	45	18	42	6	20,5	1



## ACKKp ALUMINIUM FOLD-AWAY HANDWHEEL / Chromed



Product Code	D	H	d	d1	I	h	Pckg
<b>ACKKp 125</b>	125	33	12	31	6	15	1
<b>ACKKp 160</b>	160	39	14	36	6	18	1
<b>ACKKp 200</b>	200	45	18	42	6	20,5	1




## PCKK PLASTIC FOLD-AWAY HANDWHEEL



NEW PRODUCT


Product Code	D	D1	D2	H	H1	H2	B	R	Pckg
<b>PCKK 150</b>	150	50	32 SW	120	70	50	23	60	1
<b>PCKK 200</b>	200	50	32SW	125	70	55	28	82	1



## IPP INDEXING PISTON PIN



Product Code	D	d	d1	L	H	h	h1	h2	k	SW	Pckg
IPP 10 1,0	19	M10x1	5	8	49	25	6	18	3,9	12	1
IPP 12 1,5	23	M12x1,5	6	9	59	31	6	22	4,9	14	1
IPP 16 1,5	28	M16x1,5	10	12	71	37	8	26	7,9	17	1




## PIPP PLASTIC INDEXING PISTON PIN




### NEW PRODUCT

Product Code	D	d1	d2	L	L1	L2	h	SW	Pkt
PIPP M8X1.25	14	M8X1.25	5	41,5	15,5	7	6	8	1
PIPP M10X1.5	18	M10X1.50	6	50	18	8	8	10	1
PIPP M12X1.75	25	M12X1.75	8	62,5	22,5	10,5	9	12	1



## PDK PLASTIC REVOLVING HANDLE



Product Code	L	d	D	h	Pckg
PDK 55 06	55	M6	20	15,3	50
PDK 55 08	55	M8	20	15,3	50
PDK 55 10	55	M10	20	15,3	50
PDK 70 06	70	M6	25	15,3	50
PDK 70 08	70	M8	25	15,3	50
PDK 70 10	70	M10	25	15,3	50


Temperature resistance: -20°C to +100°C

## PDKK PLASTIC FOLD-AWAY HANDLE



Temperature resistance: -20°C to +100°C


Product Code	L	d	D	h	Pckg
PDKK 55 06	55	M6	20	19,5	50
PDKK 55 08	55	M8	20	19,5	50
PDKK 55 10	55	M10	20	19,5	50
PDKK 70 06	70	M6	25	19,5	50
PDKK 70 08	70	M8	25	19,5	50
PDKK 70 10	70	M10	25	19,5	50



## CDKK PLASTIC FOLD-AWAY HANDLE




Product Code	D	d	h	L	Pckg
<b>CDKK 50 06</b>	20	M6	19,5	50	10
<b>CDKK 50 08</b>	20	M8	19,5	50	10
<b>CDKK 70 08</b>	20	M8	19,5	70	10
<b>CDKK 70 10</b>	20	M10	19,5	70	10



## KKCK CHROMIUM-PLATED STEEL HANDLE




Product Code	D	d	h	L	Pckg
<b>KKCK 20 54 06</b>	20	M6	10	54	10
<b>KKCK 20 54 08</b>	20	M8	11	54	10
<b>KKCK 20 54 10</b>	20	M10	14	54	10
<b>KKCK 22 72 06</b>	22	M6	10	72	10
<b>KKCK 22 72 08</b>	22	M8	11	72	10
<b>KKCK 22 72 10</b>	22	M10	14	72	10
<b>KKCK 24 88 06</b>	24	M6	10	88	10
<b>KKCK 24 88 08</b>	24	M8	11	88	10
<b>KKCK 24 88 10</b>	24	M10	14	88	10



## DK CAST IRON HANDLE




Product Code	L	D	SxS	h1	h2	h3	h4	Pckg
<b>DK 100 14X14</b>	100	28	14x14	29	13	60	50	4
<b>DK 125 17X17</b>	125	34	17x17	34	13	67	50	4
<b>DK 160 19X19</b>	160	38	19x19	40	14	77	64	1
<b>DK 200 22X22</b>	200	44	22x22	45	21	95	81	1
<b>DK 250 24X24</b>	250	47	24x24	53	21	114	81	1



## PT1 PLASTIC HANDLE




Product Code	d	d1	d2	H	h	h1	h2	Temperature resistance: -20°C to +100°C				
								A	I	L	Pckg	
PT1 11 08	28	M8	18,4	40,5	34	31,5	15	24	117	145	50	
PT1 13 08	28	M8	18,4	43	36,5	34	15	24	132	160	50	



## PTB1 PLASTIC HANDLE




Product Code	d	d1	d2	H	h	h1	h2	Temperature resistance: -20°C to +100°C				
								A	I	L	Pckg	
PTB1 11 05	28	M5	18,4	40,5	34	31,5	12	24	117	145	50	
PTB1 13 06	28	M6	18,4	43	36,5	34	12	24	132	160	50	



## PTB1P PLASTIC HANDLE



Product Code	d	d1	d2	H	h	h1	h2	Temperature resistance: -20°C to +100°C				
								A	I	L	Pckg	
PTB1P 11 05	28	M5	18,4	40,5	34	31,5	12	24	117	145	50	
PTB1P 13 06	28	M6	18,4	43	36,5	34	12	24	132	160	50	




## PT PLASTIC HANDLE



■ RAL 7021 Black

Temperature resistance: -20°C to +100°C

Product Code	L	L1	d	h	Pckg
PT 11 08	137	117	M8	41	50
PT 14 08	160	140	M8	46	50




## PTt PLASTIC HANDLE / Orange



■ RAL 2004 Orange

Temperature resistance: -20°C to +100°C

Product Code	L	L1	d	h	Pckg
PTt 11 08	137	117	M8	41	50
PTt 14 08	160	140	M8	46	50




## PTk PLASTIC HANDLE / Red



■ RAL 3000 Red

Temperature resistance: -20°C to +100°C


Product Code	L	L1	d	h	Pckg
PTk 11 08	137	117	M8	41	50
PTk 14 08	160	140	M8	46	50



**BT** BAKALITE HANDLE




Product Code	L	I1	d	Pckg
<b>BT 13 06 11</b>	132	109	M6	25
<b>BT 16 08 15</b>	165	131	M8	25
<b>BT 16 10 17</b>	165	131	M10	25



**AT** ALUMINIUM HANDLE





Product Code	I1	L	B	d	H	Pckg
<b>AT 200 20</b>	200	230	20	M8	57	10
<b>AT 300 20</b>	300	330	20	M8	57	10
<b>AT 400 20</b>	400	430	20	M8	57	10
<b>AT 500 20</b>	500	530	20	M8	57	10
<b>AT -20</b>			20	M8	57	10





## MTs METAL HANDLE BLACK

Product Code	I1	L	B	d	H	Pckg
<b>MTs 300 30</b>	300	330	30	m8	78	10
<b>MTs 400 30</b>	400	430	30	m8	78	10
<b>MTs 500 30</b>	500	530	30	m8	78	10
<b>MTs 600 30</b>	600	630	30	m8	78	10
<b>MT-30</b>			30	m8	78	10





## AT METAL HANDLE CHROMED

Product Code	I1	L	B	d	H	Pckg
<b>AT 300 30</b>	300	330	30	m8	78	10
<b>AT 400 30</b>	400	430	30	m8	78	10
<b>AT 500 30</b>	500	530	30	m8	78	10
<b>AT 600 30</b>	600	630	30	m8	78	10
<b>AT 30</b>						





**ZTk** ZAMAK HANDLE CHROMIUM



Product Code	Pckg
ZTk 120 05	4

**ZTs** ZAMAK HANDLE BLACK



Product Code	Pckg
ZTs 120 05	4



## PGT PLASTIC HANDLE



## PGT1-2 PLASTIC HANDLE




## KTd CABLE HOLDER/ Rectangle

**NEW PRODUCT**



Product Code	Pkt
KTd 9,3X12X24	1000




## KTk CABLE HOLDER/ Square

**NEW PRODUCT**



Product Code	Pkt
KTk 9X24	1000




# PKC

PLASTIC HANDLE BOLTED



Temperature resistance: -20°C to +100°C

Product Code	R	d	I	H	D	d1	L	I1	H1	h1	h2	Pckg
<b>PKC 63 06 30</b>	63	M6	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 06 40</b>	63	M6	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 08 30</b>	63	M8	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 08 40</b>	63	M8	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 08 50</b>	63	M8	50	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 10 30</b>	63	M10	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 10 40</b>	63	M10	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 10 50</b>	63	M10	50	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 10 60</b>	63	M10	60	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 12 30</b>	63	M12	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 12 40</b>	63	M12	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 12 50</b>	63	M12	50	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 63 12 60</b>	63	M12	60	45,5	24	18,5	76	13	52	5	38	10
<b>PKC 78 06 30</b>	78	M6	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 06 40</b>	78	M6	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 08 30</b>	78	M8	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 08 40</b>	78	M8	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 08 50</b>	78	M8	50	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 10 30</b>	78	M10	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 10 40</b>	78	M10	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 10 50</b>	78	M10	50	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 10 60</b>	78	M10	60	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 12 30</b>	78	M12	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 12 40</b>	78	M12	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 12 50</b>	78	M12	50	45,5	24	18,5	92	13	52	5	38	10
<b>PKC 78 12 60</b>	78	M12	60	45,5	24	18,5	92	13	52	5	38	10




# PKB PLASTIC HANDLE BUSHED



Temperature resistance: -20°C to +100°C

Product Code	R	d	d1	D	L	I1	H	H1	h1	h2	Pckg
<b>PKB 63 06</b>	63	M6	18,5	24	76	13	45,5	52	5	38	10
<b>PKB 63 08</b>	63	M8	18,5	24	76	13	45,5	52	5	38	10
<b>PKB 63 10</b>	63	M10	18,5	24	76	13	45,5	52	5	38	10
<b>PKB 63 12</b>	63	M12	18,5	24	76	13	45,5	52	5	38	10
<b>PKB 78 06</b>	78	M6	18,5	24	92	13	45,5	52	5	38	10
<b>PKB 78 08</b>	78	M8	18,5	24	92	13	45,5	52	5	38	10
<b>PKB 78 10</b>	78	M10	18,5	24	92	13	45,5	52	5	38	10
<b>PKB 78 12</b>	78	M12	18,5	24	92	13	45,5	52	5	38	10




## PKCI

PLASTIC HANDLE BOLTED / INOX

Temperature resistance: -20°C to +100°C



Product Code	R	d	I	H	D	d1	L	I1	H1	h1	h2	Pckg
<b>PKCI 63 06 30</b>	63	M6	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCI 63 08 30</b>	63	M8	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCI 63 10 30</b>	63	M10	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCI 63 12 30</b>	63	M12	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCI 78 06 30</b>	78	M6	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCI 78 08 30</b>	78	M8	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCI 78 10 30</b>	78	M10	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCI 78 12 30</b>	78	M12	30	45,5	24	18,5	92	13	52	5	38	10




## PKBI

PLASTIC HANDLE BUSHED / INOX

Temperature resistance: -20°C to +100°C




Product Code	R	d	d1	D	L	I1	H	H1	h1	h2	Pckg
<b>PKBI 63 06</b>	63	M6	18,5	24	76	13	45,5	52	5	38	10
<b>PKBI 63 08</b>	63	M8	18,5	24	76	13	45,5	52	5	38	10
<b>PKBI 63 10</b>	63	M10	18,5	24	76	13	45,5	52	5	38	10
<b>PKBI 63 12</b>	63	M12	18,5	24	76	13	45,5	52	5	38	10
<b>PKBI 78 06</b>	78	M6	18,5	24	92	13	45,5	52	5	38	10
<b>PKBI 78 08</b>	78	M8	18,5	24	92	13	45,5	52	5	38	10
<b>PKBI 78 10</b>	78	M10	18,5	24	92	13	45,5	52	5	38	10
<b>PKBI 78 12</b>	78	M12	18,5	24	92	13	45,5	52	5	38	10



## PKCt

PLASTIC HANDLE BOLTED / Orange



Product Code	R	d	I	H	D	d1	L	I1	H1	h1	h2	Pckg
<b>PKCt 63 06 30</b>	63	M6	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 06 40</b>	63	M6	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 08 30</b>	63	M8	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 08 40</b>	63	M8	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 08 50</b>	63	M8	50	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 10 30</b>	63	M10	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 10 40</b>	63	M10	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 10 50</b>	63	M10	50	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 10 60</b>	63	M10	60	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 12 30</b>	63	M12	30	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 12 40</b>	63	M12	40	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 12 50</b>	63	M12	50	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 63 12 60</b>	63	M12	60	45,5	24	18,5	76	13	52	5	38	10
<b>PKCt 78 06 30</b>	78	M6	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 06 40</b>	78	M6	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 08 30</b>	78	M8	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 08 40</b>	78	M8	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 08 50</b>	78	M8	50	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 10 30</b>	78	M10	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 10 40</b>	78	M10	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 10 50</b>	78	M10	50	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 10 60</b>	78	M10	60	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 12 30</b>	78	M12	30	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 12 40</b>	78	M12	40	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 12 50</b>	78	M12	50	45,5	24	18,5	92	13	52	5	38	10
<b>PKCt 78 12 60</b>	78	M12	60	45,5	24	18,5	92	13	52	5	38	10


## PKBt

PLASTIC HANDLE BUSHED / Orange



Temperature resistance: -20°C to +100°C

Product Code	R	d	d1	D	L	I1	H	H1	h1	h2	Pckg
<b>PKBt 63 06</b>	63	M6	18,5	24	76	13	45,5	52	5	38	10
<b>PKBt 63 08</b>	63	M8	18,5	24	76	13	45,5	52	5	38	10
<b>PKBt 63 10</b>	63	M10	18,5	24	76	13	45,5	52	5	38	10
<b>PKBt 63 12</b>	63	M12	18,5	24	76	13	45,5	52	5	38	10
<b>PKBt 78 06</b>	78	M6	18,5	24	92	13	45,5	52	5	38	10
<b>PKBt 78 08</b>	78	M8	18,5	24	92	13	45,5	52	5	38	10
<b>PKBt 78 10</b>	78	M10	18,5	24	92	13	45,5	52	5	38	10
<b>PKBt 78 12</b>	78	M12	18,5	24	92	13	45,5	52	5	38	10




## PKCIt

PLASTIC HANDLE BOLTED INOX / Orange

Temperature resistance: -20°C to +100°C



Product Code	R	d	I	H	D	d1	L	I1	H1	h1	h2	Pckg
PKCIt 63 06 30	63	M6	30	45,5	24	18,5	76	13	52	5	38	10
PKCIt 63 08 30	63	M8	30	45,5	24	18,5	76	13	52	5	38	10
PKCIt 63 10 30	63	M10	30	45,5	24	18,5	76	13	52	5	38	10
PKCIt 63 12 30	63	M12	30	45,5	24	18,5	76	13	52	5	38	10
PKCIt 78 06 30	78	M6	30	45,5	24	18,5	92	13	52	5	38	10
PKCIt 78 08 30	78	M8	30	45,5	24	18,5	92	13	52	5	38	10
PKCIt 78 10 30	78	M10	30	45,5	24	18,5	92	13	52	5	38	10
PKCIt 78 12 30	78	M12	30	45,5	24	18,5	92	13	52	5	38	10




## PKBIt

PLASTIC HANDLE BUSHED INOX / Orange

Temperature resistance: -20°C to +100°C




Product Code	R	d	d1	D	L	I1	H	H1	h1	h2	Pckg
PKBIt 63 06	63	M6	18,5	24	76	13	45,5	52	5	38	10
PKBIt 63 08	63	M8	18,5	24	76	13	45,5	52	5	38	10
PKBIt 63 10	63	M10	18,5	24	76	13	45,5	52	5	38	10
PKBIt 63 12	63	M12	18,5	24	76	13	45,5	52	5	38	10
PKBIt 78 06	78	M6	18,5	24	92	13	45,5	52	5	38	10
PKBIt 78 08	78	M8	18,5	24	92	13	45,5	52	5	38	10
PKBIt 78 10	78	M10	18,5	24	92	13	45,5	52	5	38	10
PKBIt 78 12	78	M12	18,5	24	92	13	45,5	52	5	38	10



## AKCt

ALUMINIUM HANDLE BOLTED / Orange




Product Code	R	d	L	D	H	H1	h1	h2	h3	I	Pckg
AKCT 65 05 15	65	M5	75	20	45	49	32	7	35,7	15	10
AKCT 65 05 30	65	M5	75	20	45	49	32	7	35,7	30	10
AKCT 65 06 15	65	M6	75	20	45	49	32	7	35,7	15	10
AKCT 65 06 30	65	M6	75	20	45	49	32	7	35,7	30	10
AKCT 65 06 50	65	M6	75	20	45	49	32	7	35,7	50	10
AKCT 65 08 30	65	M8	75	20	45	49	32	7	35,7	30	10
AKCT 65 08 50	65	M8	75	20	45	49	32	7	35,7	50	10
AKCT 65 10 30	65	M10	75	20	45	49	32	7	35,7	30	10
AKCT 65 10 50	65	M10	75	20	45	49	32	7	35,7	50	10
AKCT 65 12 30	65	M12	75	20	45	49	32	7	35,7	30	10
AKCT 65 12 50	65	M12	75	20	45	49	32	7	35,7	50	10
AKCT 80 06 30	80	M6	91	22	57	61	40	8	45,5	30	10
AKCT 80 06 50	80	M6	91	22	57	61	40	8	45,5	50	10
AKCT 80 08 30	80	M8	91	22	57	61	40	8	45,5	30	10
AKCT 80 08 50	80	M8	91	22	57	61	40	8	45,5	50	10
AKCT 80 10 30	80	M10	91	22	57	61	40	8	45,5	30	10
AKCT 80 10 50	80	M10	91	22	57	61	40	8	45,5	50	10
AKCT 80 12 30	80	M12	91	22	57	61	40	8	45,5	30	10
AKCT 80 12 50	80	M12	91	22	57	61	40	8	45,5	50	10
AKCT 95 12 30	95	M12	108	26	65	69	47	10,5	52	30	10
AKCT 95 12 50	95	M12	108	26	65	69	47	10,5	52	50	10
AKCT 95 14 40	95	M14	108	26	65	69	47	10,5	52	40	10
AKCT 95 14 60	95	M14	108	26	65	69	47	10,5	52	60	10
AKCT 95 16 40	95	M16	108	26	65	69	47	10,5	52	40	10
AKCT 95 16 60	95	M16	108	26	65	69	47	10,5	52	60	10

## AKBt


ALUMINIUM HANDLE BUSHED / Orange



Product Code	R	d	d1	L	D	H	H1	h1	h2	h3	Pckg
AKBT 65 06	65	M6	15	75	20	45	49	32	7	35,7	10
AKBT 65 08	65	M8	15	75	20	45	49	32	7	35,7	10
AKBT 65 10	65	M10	15	75	20	45	49	32	7	35,7	10
AKBT 80 06	80	M6	17	91	22	57	61	40	8	45,5	10
AKBT 80 08	80	M8	17	91	22	57	61	40	8	45,5	10
AKBT 80 10	80	M10	17	91	22	57	61	40	8	45,5	10
AKBT 80 12	80	M12	17	91	22	57	61	40	8	45,5	10
AKBT 95 12	95	M12	21	108	26	65	69	47	10,5	52	10
AKBT 95 14	95	M14	21	108	26	65	69	47	10,5	52	10
AKBT 95 16	95	M16	21	108	26	65	69	47	10,5	52	10



## AKC ALUMINIUM HANDLE BOLTED




Product Code	R	d	L	D	H	H1	h1	h2	h3	I	Pckg
<b>AKC 65 05 15</b>	65	M5	75	20	45	49	32	7	35,7	15	10
<b>AKC 65 05 30</b>	65	M5	75	20	45	49	32	7	35,7	30	10
<b>AKC 65 06 15</b>	65	M6	75	20	45	49	32	7	35,7	15	10
<b>AKC 65 06 30</b>	65	M6	75	20	45	49	32	7	35,7	30	10
<b>AKC 65 06 50</b>	65	M6	75	20	45	49	32	7	35,7	50	10
<b>AKC 65 08 30</b>	65	M8	75	20	45	49	32	7	35,7	30	10
<b>AKC 65 08 50</b>	65	M8	75	20	45	49	32	7	35,7	50	10
<b>AKC 65 10 30</b>	65	M10	75	20	45	49	32	7	35,7	30	10
<b>AKC 65 10 50</b>	65	M10	75	20	45	49	32	7	35,7	50	10
<b>AKC 65 12 30</b>	65	M12	75	20	45	49	32	7	35,7	30	10
<b>AKC 65 12 50</b>	65	M12	75	20	45	49	32	7	35,7	50	10
<b>AKC 80 06 30</b>	80	M6	91	22	57	61	40	8	45,5	30	10
<b>AKC 80 06 50</b>	80	M6	91	22	57	61	40	8	45,5	50	10
<b>AKC 80 08 30</b>	80	M8	91	22	57	61	40	8	45,5	30	10
<b>AKC 80 08 50</b>	80	M8	91	22	57	61	40	8	45,5	50	10
<b>AKC 80 10 30</b>	80	M10	91	22	57	61	40	8	45,5	30	10
<b>AKC 80 10 50</b>	80	M10	91	22	57	61	40	8	45,5	50	10
<b>AKC 80 12 30</b>	80	M12	91	22	57	61	40	8	45,5	30	10
<b>AKC 80 12 50</b>	80	M12	91	22	57	61	40	8	45,5	50	10
<b>AKC 95 12 30</b>	95	M12	108	26	65	69	47	10,5	52	30	10
<b>AKC 95 12 50</b>	95	M12	108	26	65	69	47	10,5	52	50	10
<b>AKC 95 14 40</b>	95	M14	108	26	65	69	47	10,5	52	40	10
<b>AKC 95 14 60</b>	95	M14	108	26	65	69	47	10,5	52	60	10
<b>AKC 95 16 40</b>	95	M16	108	26	65	69	47	10,5	52	40	10
<b>AKC 95 16 60</b>	95	M16	108	26	65	69	47	10,5	52	60	10

## AKB ALUMINIUM HANDLE BUSHED




Product Code	R	d	d1	L	D	H	H1	h1	h2	h3	Pckg
<b>AKB 65 06</b>	65	M6	15	75	20	45	49	32	7	35,7	10
<b>AKB 65 08</b>	65	M8	15	75	20	45	49	32	7	35,7	10
<b>AKB 65 10</b>	65	M10	15	75	20	45	49	32	7	35,7	10
<b>AKB 80 06</b>	80	M6	17	91	22	57	61	40	8	45,5	10
<b>AKB 80 08</b>	80	M8	17	91	22	57	61	40	8	45,5	10
<b>AKB 80 10</b>	80	M10	17	91	22	57	61	40	8	45,5	10
<b>AKB 80 12</b>	80	M12	17	91	22	57	61	40	8	45,5	10
<b>AKB 95 12</b>	95	M12	21	108	26	65	69	47	10,5	52	10
<b>AKB 95 14</b>	95	M14	21	108	26	65	69	47	10,5	52	10
<b>AKB 95 16</b>	95	M16	21	108	26	65	69	47	10,5	52	10



## PY Ct PLASTIC KNOB BOLTED / Orange



■ RAL 2004 Orange




Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
PY Ct 40 06 15	40	M06	15	25
PY Ct 40 06 20	40	M06	20	25
PY Ct 40 06 30	40	M06	30	25
PY Ct 40 06 40	40	M06	40	25
PY Ct 40 08 20	40	M08	20	25
PY Ct 40 08 30	40	M08	30	25
PY Ct 40 08 40	40	M08	40	25
PY Ct 40 10 20	40	M10	20	25
PY Ct 40 10 30	40	M10	30	25
PY Ct 40 10 40	40	M10	40	25
PY Ct 40 10 50	40	M10	50	25
PY Ct 50 08 20	50	M08	20	25
PY Ct 50 08 30	50	M08	30	25
PY Ct 50 08 40	50	M08	40	25
PY Ct 50 10 20	50	M10	20	25
PY Ct 50 10 30	50	M10	30	25
PY Ct 50 10 40	50	M10	40	25
PY Ct 50 10 50	50	M10	50	25
PY Ct 63 10 20	63	M10	20	25
PY Ct 63 10 30	63	M10	30	25
PY Ct 63 10 40	63	M10	40	25
PCYt 63 10 50	30	M10	50	25
PY Ct 63 12 40	63	M12	40	25
PY Ct 63 16 50	63	M16	50	25

## PY Bt PLASTIC KNOB BUSHED / Orange



■ RAL 2004 Orange



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	Pckg
PY Bt 40 06	40	M06	10	25
PY Bt 40 08	40	M08	14	25
PY Bt 40 10	40	M10	17	25
PY Bt 50 08	50	M08	14	25
PY Bt 50 10	50	M10	17	25
PY Bt 63 10	63	M10	17	25
PY Bt 63 12	63	M12	19	25
PY Bt 63 16	63	M16	27	25

## PYC

PLASTIC KNOB BOLTED



■ RAL 7021 Black



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	Pckg
PYC 40 06 15	40	M06	15	25
PYC 40 06 20	40	M06	20	25
PYC 40 06 30	40	M06	30	25
PYC 40 06 40	40	M06	40	25
PYC 40 08 20	40	M08	20	25
PYC 40 08 30	40	M08	30	25
PYC 40 08 40	40	M08	40	25
PYC 40 10 20	40	M10	20	25
PYC 40 10 30	40	M10	30	25
PYC 40 10 40	40	M10	40	25
PYC 40 10 50	40	M10	50	25
PYC 50 08 20	50	M08	20	25
PYC 50 08 30	50	M08	30	25
PYC 50 08 40	50	M08	40	25
PYC 50 10 20	50	M10	20	25
PYC 50 10 30	50	M10	30	25
PYC 50 10 40	50	M10	40	25
PYC 50 10 50	50	M10	50	25
PYC 63 10 20	63	M10	20	25
PYC 63 10 30	63	M10	30	25
PYC 63 10 40	63	M10	40	25
PYC 63 10 50	63	M10	50	25
PYC 63 12 40	63	M12	40	25
PYC 63 16 50	63	M16	50	25

## PYB

PLASTIC KNOB BUSHED



■ RAL 7021 Black



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	Pckg
PYB 40 06	40	M06	10	25
PYB 40 08	40	M08	14	25
PYB 40 10	40	M10	17	25
PYB 50 08	50	M08	14	25
PYB 50 10	50	M10	17	25
PYB 63 10	63	M10	17	25
PYB 63 12	63	M12	19	25
PYB 63 16	63	M16	27	25

## PYCK

PLASTIC KNOB BOLTED / Red



■ RAL 3000 Red



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	Pckg
PYCK 40 06 15	40	M06	15	25
PYCK 40 06 20	40	M06	20	25
PYCK 40 06 30	40	M06	30	25
PYCK 40 06 40	40	M06	40	25
PYCK 40 08 20	40	M08	20	25
PYCK 40 08 30	40	M08	30	25
PYCK 40 08 40	40	M08	40	25
PYCK 40 10 20	40	M10	20	25
PYCK 40 10 30	40	M10	30	25
PYCK 40 10 40	40	M10	40	25
PYCK 40 10 50	40	M10	50	25
PYCK 50 08 20	50	M08	20	25
PYCK 50 08 30	50	M08	30	25
PYCK 50 08 40	50	M08	40	25
PYCK 50 10 20	50	M10	20	25
PYCK 50 10 30	50	M10	30	25
PYCK 50 10 40	50	M10	40	25
PYCK 50 10 50	50	M10	50	25
PYCK 63 10 20	63	M10	20	25
PYCK 63 10 30	63	M10	30	25
PYCK 63 10 40	63	M10	40	25
PYCK 63 10 50	63	M10	50	25
PYCK 63 12 40	63	M12	40	25
PYCK 63 16 50	63	M16	50	25

## PYBK

PLASTIC KNOB BUSHED / Red



■ RAL 3000 Red



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	Pckg
PYBK 40 06	40	M06	10	25
PYBK 40 08	40	M08	14	25
PYBK 40 10	40	M10	17	25
PYBK 50 08	50	M08	14	25
PYBK 50 10	50	M10	17	25
PYBK 63 10	63	M10	17	25
PYBK 63 12	63	M12	19	25
PYBK 63 16	63	M16	27	25

## PYCP

PLASTIC KNOB BOLTED



■ RAL 7021Black



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	Pckg
PYCP 40 06 15	40	M06	15	25
PYCP 40 06 20	40	M06	20	25
PYCP 40 06 30	40	M06	30	25
PYCP 40 06 40	40	M06	40	25
PYCP 40 08 20	40	M08	20	25
PYCP 40 08 30	40	M08	30	25
PYCP 40 08 40	40	M08	40	25
PYCP 40 10 20	40	M10	20	25
PYCP 40 10 30	40	M10	30	25
PYCP 40 10 40	40	M10	40	25
PYCP 40 10 50	40	M10	50	25
PYCP 50 08 20	50	M08	20	25
PYCP 50 08 30	50	M08	30	25
PYCP 50 08 40	50	M08	40	25
PYCP 50 10 20	50	M10	20	25
PYCP 50 10 30	50	M10	30	25
PYCP 50 10 40	50	M10	40	25
PYCP 50 10 50	50	M10	50	25
PYCP 63 10 20	63	M10	20	25
PYCP 63 10 30	63	M10	30	25
PYCP 63 10 40	63	M10	40	25
PYCP 63 10 50	63	M10	50	25
PYCP 63 12 40	63	M12	40	25
PYCP 63 16 50	63	M16	50	25

## PYBP

PALSTIC KNOB BUSHED



■ RAL 7021 Black




Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
PYBP 40 06	40	M06	10	25
PYBP 40 08	40	M08	14	25
PYBP 40 10	40	M10	17	25
PYBP 50 08	50	M08	14	25
PYBP 50 10	50	M10	17	25
PYBP 63 10	63	M10	17	25
PYBP 63 12	63	M12	19	25
PYBP 63 16	63	M16	27	25

## PYCPt

PLASTIC KNOB BOLTED / Orange




■ RAL 2004 Orange

Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
PYCPt 40 06 15	40	M06	15	25
PYCPt 40 06 20	40	M06	20	25
PYCPt 40 06 30	40	M06	30	25
PYCPt 40 06 40	40	M06	40	25
PYCPt 40 08 20	40	M08	20	25
PYCPt 40 08 30	40	M08	30	25
PYCPt 40 08 40	40	M08	40	25
PYCPt 40 10 20	40	M10	20	25
PYCPt 40 10 30	40	M10	30	25
PYCPt 40 10 40	40	M10	40	25
PYCPt 40 10 50	40	M10	50	25
PYCPt 50 08 20	50	M08	20	25
PYCPt 50 08 30	50	M08	30	25
PYCPt 50 08 40	50	M08	40	25
PYCPt 50 10 20	50	M10	20	25
PYCPt 50 10 30	50	M10	30	25
PYCPt 50 10 40	50	M10	40	25
PYCPt 50 10 50	50	M10	50	25
PYCPt 63 10 20	63	M10	20	25
PYCPt 63 10 30	63	M10	30	25
PYCPt 63 10 40	63	M10	40	25
PYCPt 63 10 50	63	M10	50	25
PYCPt 63 12 40	63	M12	40	25
PYCPt 63 16 50	63	M16	50	25

## PYBPt

PLASTIC KNOB BUSHED / Orange




■ RAL 2004 Orange

Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
PYBPt 40 06	40	M06	10	25
PYBPt 40 08	40	M08	14	25
PYBPt 40 10	40	M10	17	25
PYBPt 50 08	50	M08	14	25
PYBPt 50 10	50	M10	17	25
PYBPt 63 10	63	M10	17	25
PYBPt 63 12	63	M12	19	25
PYBPt 63 16	63	M16	27	25

## PYCPk

PLASTIC KNOB BOLTED / Red




■ RAL 3000 Red

Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
PYCPk 40 06 15	40	M06	15	25
PYCPk 40 06 20	40	M06	20	25
PYCPk 40 06 30	40	M06	30	25
PYCPk 40 06 40	40	M06	40	25
PYCPk 40 08 20	40	M08	20	25
PYCPk 40 08 30	40	M08	30	25
PYCPk 40 08 40	40	M08	40	25
PYCPk 40 10 20	40	M10	20	25
PYCPk 40 10 30	40	M10	30	25
PYCPk 40 10 40	40	M10	40	25
PYCPk 40 10 50	40	M10	50	25
PYCPk 50 08 20	50	M08	20	25
PYCPk 50 08 30	50	M08	30	25
PYCPk 50 08 40	50	M08	40	25
PYCPk 50 10 20	50	M10	20	25
PYCPk 50 10 30	50	M10	30	25
PYCPk 50 10 40	50	M10	40	25
PYCPk 50 10 50	50	M10	50	25
PYCPk 63 10 20	63	M10	20	25
PYCPk 63 10 30	63	M10	30	25
PYCPk 63 10 40	63	M10	40	25
PYCPk 63 10 50	63	M10	50	25
PYCPk 63 12 40	63	M12	40	25
PYCPk 63 16 50	63	M16	50	25

## PYBPk

PLASTIC KNOB BUSHED / Red



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
PYBPk 40 06	40	M06	10	25
PYBPk 40 08	40	M08	14	25
PYBPk 40 10	40	M10	17	25
PYBPk 50 08	50	M08	14	25
PYBPk 50 10	50	M10	17	25
PYBPk 63 10	63	M10	17	25
PYBPk 63 12	63	M12	19	25
PYBPk 63 16	63	M16	27	25

■ RAL 3000 Red


## PETEKB

PLASTIC INDUSTRIAL HANDLE BUSHED



Temperature resistance: -20°C to +100°C

Product Code	D	L	A	h	h1	d1	d2	Pckg
<b>PETKB 50 05</b>	50	24	15	15	5	M5	14	50
<b>PETKB 50 06</b>	50	24	15	15	5	M6	14	50
<b>PETKB 71 08</b>	71	35	23	25	9	M8	22	50
<b>PETKB 71 10</b>	71	35	23	25	9	M10	22	50
<b>PETKB 71 12</b>	71	35	23	25	9	M12	22	50




## PETEKC

PLASTIC INDUSTRIAL HANDLE BOLTED



Temperature resistance: -20°C to +100°C

Product Code	D	d1	d2	H	L	h	Pckg
<b>PETKC 50 05 20</b>	50	24	15	20	M5	14	50
<b>PETKC 50 05 30</b>	50	24	15	30	M5	14	50
<b>PETKC 50 06 20</b>	50	24	15	20	M6	14	50
<b>PETKC 50 06 30</b>	50	24	15	30	M6	14	50
<b>PETKC 71 08 20</b>	71	35	23	20	M8	22	50
<b>PETKC 71 08 30</b>	71	35	23	30	M8	22	50
<b>PETKC 71 08 40</b>	71	35	23	40	M8	22	50
<b>PETKC 71 10 30</b>	71	35	23	30	M10	22	50
<b>PETKC 71 10 40</b>	71	35	23	40	M10	22	50
<b>PETKC 71 10 50</b>	71	35	23	50	M10	22	50
<b>PETKC 71 12 30</b>	71	35	23	30	M12	22	50
<b>PETKC 71 12 40</b>	71	35	23	40	M12	22	50
<b>PETKC 71 12 50</b>	71	35	23	50	M12	22	50




## PTB2 PLASTIC KNOB BUSHED / 2



Temperature resistance: -20°C to +100°C

Product Code	D	d1	d2	h	L	Pckg
<b>PTB2 55 05</b>	55	M5	20	13	31	25
<b>PTB2 55 06</b>	55	M6	20	13	31	25
<b>PTB2 55 08</b>	55	M8	20	17	31	25
<b>PTB2 70 08</b>	70	M8	22	17	35	25
<b>PTB2 70 10</b>	70	M10	22	17	35	25




## PTC2 PLASTIC KNOB BOLTED / 2



Temperature resistance: -20°C to +100°C

Product Code	D	d1	d2	h	L	Pckg
<b>PTC2 55 06 25</b>	55	M6	20	25	31	25
<b>PTC2 55 06 40</b>	55	M6	20	40	31	25
<b>PTC2 55 06 50</b>	55	M6	20	50	31	25
<b>PTC2 55 08 25</b>	55	M8	20	25	31	25
<b>PTC2 55 08 40</b>	55	M8	20	40	31	25
<b>PTC2 55 08 50</b>	55	M8	20	50	31	25
<b>PTC2 55 10 25</b>	55	M10	20	25	31	25
<b>PTC2 55 10 40</b>	55	M10	20	40	31	25
<b>PTC2 55 10 50</b>	55	M10	20	50	31	25
<b>PTC2 70 08 30</b>	70	M8	22	30	35	25
<b>PTC2 70 08 40</b>	70	M8	22	40	35	25
<b>PTC2 70 08 50</b>	70	M8	22	50	35	25
<b>PTC2 70 10 25</b>	70	M10	22	25	35	25
<b>PTC2 70 10 40</b>	70	M10	22	40	35	25
<b>PTC2 70 10 50</b>	70	M10	22	50	35	25
<b>PTC2 70 12 30</b>	70	M12	22	30	35	25
<b>PTC2 70 12 40</b>	70	M12	22	40	35	25
<b>PTC2 70 12 50</b>	70	M12	22	50	35	25




## PTB3

PLASTIC KNOB BUSHED / 3



Product Code	D	d1	d2	H	L	h	h1	Temperature resistance: -20°C to +100°C	
								Pckg	
<b>PTB3 80 10</b>	80	M10	32	30	35	15	19	25	
<b>PTB3 80 12</b>	80	M12	32	30	35	20	24	25	
<b>PTB3 10 12</b>	100	M12	36	37	42	20	24	25	
<b>PTB3 10 14</b>	100	M14	36	37	42	25	29	25	
<b>PTB3 10 16</b>	100	M16	36	37	42	25	29	25	




## PTB3d

PLASTIC KNOB BUSHED / 3



Product Code	D	d	d1	d2	H	L	Pckg	Temperature resistance: -20°C to +100°C	
<b>PTB3d 80 10</b>	80	28,5	M10	32	30	35	25		
<b>PTB3d 80 12</b>	80	28,5	M12	32	30	35	25		
<b>PTB3d 10 12</b>	100	28,5	M12	36	37	42	25		
<b>PTB3d 10 14</b>	100	28,5	M14	36	37	42	25		
<b>PTB3d 10 16</b>	100	28,5	M16	36	37	42	25		




## PTC3

PLASTIC KNOB BOLTED / 3



Product Code	D	d1	d2	H	L	h	Pckg	Temperature resistance: -20°C to +100°C	
<b>PTC3 80 10 30</b>	80	M10	32	30	35	30	25		
<b>PTC3 80 10 50</b>	80	M10	32	30	35	50	25		
<b>PTC3 80 12 30</b>	80	M12	32	30	35	30	25		
<b>PTC3 80 12 50</b>	80	M12	32	30	35	50	25		
<b>PTC3 10 12 30</b>	100	M12	36	37	42	30	25		
<b>PTC3 10 12 50</b>	100	M12	36	37	42	50	25		
<b>PTC3 10 14 30</b>	100	M14	36	37	42	30	25		
<b>PTC3 10 14 50</b>	100	M14	36	37	42	50	25		
<b>PTC3 10 16 30</b>	100	M16	36	37	42	30	25		
<b>PTC3 10 16 50</b>	100	M16	36	37	42	50	25		




## PTC4

PLASTIC KNOB BOLTED / 4



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	L	Pckg
PTC4 30 06 15	30	M6	15	24	25
PTC4 30 06 20	30	M6	20	24	25
PTC4 30 06 30	30	M6	30	24	25
PTC4 30 06 40	30	M6	40	24	25
PTC4 30 08 20	30	M8	20	24	25
PTC4 30 08 30	30	M8	30	24	25
PTC4 30 08 40	30	M8	40	24	25
PTC4 60 08 20	60	M8	20	34	25
PTC4 60 08 30	60	M8	30	34	25
PTC4 60 08 40	60	M8	40	34	25
PTC4 60 10 20	60	M10	20	34	25
PTC4 60 10 30	60	M10	30	34	25
PTC4 60 10 40	60	M10	40	34	25
PTC4 60 10 50	60	M10	50	34	25
PTC4 60 12 40	60	M12	40	34	25




## PTB4

PLASTIC KNOB BUSHED / 4

Temperature resistance: -20°C to +100°C



Product Code	D	d	h	L	Pckg
PTB4 30 06	30	M6	10	24	25
PTB4 30 08	30	M8	14	24	25
PTB4 60 08	60	M8	14	34	25
PTB4 60 10	60	M10	17	34	25
PTB4 60 12	60	M12	19	34	25




## PTB4d

PLASTIC KNOB BUSHED / 4



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	L	Pckg
<b>PTB4d 60 08</b>	60	M8	14	34	25
<b>PTB4d 60 10</b>	60	M10	17	34	25
<b>PTB4d 60 12</b>	60	M12	19	34	25




## PTB6d

PLASTIC KNOB BUSHED / 6





Temperature resistance: -20°C to +100°C

Product Code	D	d	h	L	Pckg
<b>PTB6d 63 08</b>	63	M8	14	34	25
<b>PTB6d 63 10</b>	63	M10	17	34	25
<b>PTB6d 63 12</b>	63	M12	19	34	25



## PTC6 PLASTIC KNOB BOLTED / 6



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	L	Pckg
PTC6 30 06 15	30	M6	15	22	25
PTC6 30 06 20	30	M6	20	22	25
PTC6 30 06 30	30	M6	30	22	25
PTC6 30 06 40	30	M6	40	22	25
PTC6 30 08 20	30	M8	20	22	25
PTC6 30 08 30	30	M8	30	22	25
PTC6 30 08 40	30	M8	40	22	25
PTC6 40 06 15	40	M6	15	24	25
PTC6 4006 20	40	M6	20	24	25
PTC6 40 06 30	40	M6	30	24	25
PTC6 40 06 40	40	M6	40	24	25
PTC6 40 08 20	40	M8	20	24	25
PTC6 40 08 30	40	M8	30	24	25
PTC6 40 08 40	40	M8	40	24	25
PTC6 40 10 20	40	M10	20	24	25
PTC6 40 10 30	40	M10	30	24	25
PTC6 40 10 40	40	M10	40	24	25
PTC6 40 10 50	40	M10	50	24	25
PTC6 63 08 20	63	M8	20	34	25
PTC6 63 08 30	63	M8	30	34	25
PTC6 63 08 40	63	M8	40	34	25
PTC6 63 10 20	63	M10	20	34	25
PTC6 63 10 30	63	M10	30	34	25
PTC6 63 10 40	63	M10	40	34	25
PTC6 63 10 50	63	M10	50	34	25
PTC6 63 12 40	63	M12	40	34	25

## PTB6 PLASTIC KNOB BUSHED / 6



Temperature resistance: -20°C to +100°C


Product Code	D	d	h	L	Pckg
PTB6 30 06	30	M6	10	22	25
PTB6 30 08	30	M8	14	22	25
PTB6 40 06	40	M6	10	24	25
PTB6 40 08	40	M8	14	24	25
PTB6 40 10	40	M10	15	24	25
PTB6 63 08	63	M8	14	34	25
PTB6 63 10	63	M10	17	34	25
PTB6 63 12	63	M12	19	34	25




## ATB4 ALUMINIUM KNOB 4 BUSHED




Product Code	D	d	h	L	Pckg
<b>ATB4 40 08</b>	40	M8	14	26	4
<b>ATB4 50 10</b>	50	M10	17	34	4
<b>ATB4 63 12</b>	63	M12	17	42	4



## ATC4 ALUMINIUM KNOB 4 BOLTED




Product Code	D	d	h	L	Pckg
<b>ATC4 40 08 20</b>	40	M8	20	26	4
<b>ATC4 40 08 30</b>	40	M8	30	26	4
<b>ATC4 40 08 40</b>	40	M8	40	26	4
<b>ATC4 50 10 20</b>	50	M10	20	34	4
<b>ATC4 50 10 30</b>	50	M10	30	34	4
<b>ATC4 50 10 40</b>	50	M10	40	34	4
<b>ATC4 63 12 20</b>	63	M12	20	42	4
<b>ATC4 63 12 30</b>	63	M12	30	42	4
<b>ATC4 63 12 40</b>	63	M12	40	42	4



## ATB4p ALUMINIUM KNOB 4 BUSHED




Product Code	D	d	h	L	Pckg
<b>ATB4p 40 08</b>	40	M8	14	26	4
<b>ATB4p 50 10</b>	50	M10	17	34	4
<b>ATB4p 63 12</b>	63	M12	17	42	4



## ATC4p ALUMINIUM KNOB 4 BOLTED



Product Code	D	d	h	L	Pckg
<b>ATC4p 40 08 20</b>	40	M8	20	26	4
<b>ATC4p 40 08 30</b>	40	M8	30	26	4
<b>ATC4p 40 08 40</b>	40	M8	40	26	4
<b>ATC4p 50 10 20</b>	50	M10	20	34	4
<b>ATC4p 50 10 30</b>	50	M10	30	34	4
<b>ATC4p 50 10 40</b>	50	M10	40	34	4
<b>ATC4p 63 12 20</b>	63	M12	20	42	4
<b>ATC4p 63 12 30</b>	63	M12	30	42	4
<b>ATC4p 63 12 40</b>	63	M12	40	42	4




# PTBy

PLASTIC BALL BUSHED



Temperature resistance: -20°C to +100°C

Product Code	D	d	h	Pckg
<b>PTBY 30 06 11</b>	30	M6	11	100
<b>PTBY 30 08 15</b>	30	M8	15	100
<b>PTBY 30 10 17</b>	30	M10	17	100
<b>PTBY 40 08 15</b>	40	M8	15	50
<b>PTBY 40 10 17</b>	40	M10	17	50
<b>PTBY 40 12 22</b>	40	M12	22	50
<b>PTBY 50 10 17</b>	50	M10	17	50
<b>PTBY 50 12 22</b>	50	M12	22	50
<b>PTBY 50 14</b>	50	M14		50
<b>PTBY 50 16</b>	50	M16		50




# BTB

BAKALITE BALL BUSHED




Product Code	D	d	h	Pckg
<b>BTB 25 05 11</b>	25	M5	11	100
<b>BTB 25 06 11</b>	25	M6	11	100
<b>BTB 25 08 15</b>	25	M8	15	100
<b>BTB 30 06 11</b>	30	M6	11	100
<b>BTB 30 08 15</b>	30	M8	15	100
<b>BTB 30 10 17</b>	30	M10	17	100
<b>BTB 35 08 15</b>	35	M8	15	50
<b>BTB 35 10 17</b>	35	M10	17	50
<b>BTB 40 08 15</b>	40	M8	15	50
<b>BTB 40 10 17</b>	40	M10	17	50
<b>BTB 40 12 22</b>	40	M12	22	50

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C



## BKC BAKALITE KNOB BOLTED



Product Code	D	d	h	L	Pckg
<b>BKC 20 05 13</b>	20	M5	13	15	100
<b>BKC 20 06 10</b>	20	M6	10	15	100
<b>BKC 30 06 15</b>	30	M6	15	27	100
<b>BKC 30 08 15</b>	30	M8	15	27	100
<b>BKC 40 06 15</b>	40	M6	15	28	50
<b>BKC 40 06 20</b>	40	M6	20	28	50
<b>BKC 40 08 15</b>	40	M8	15	28	50
<b>BKC 40 08 20</b>	40	M8	20	28	50
<b>BKC 40 08 50</b>	40	M8	50	28	50
<b>BKC 40 10 20</b>	40	M10	20	28	50
<b>BKC 50 08 25</b>	50	M8	25	32	50
<b>BKC 50 10 25</b>	50	M10	25	32	50
<b>BKC 50 10 30</b>	50	M10	30	32	50
<b>BKC 63 08 25</b>	63	M8	25	37	50
<b>BKC 63 10 30</b>	63	M10	30	37	50
<b>BKC 63 12 30</b>	63	M12	30	37	50
<b>BKC 63 12 35</b>	63	M12	35	37	50
<b>BKC 70 10 35</b>	70	M10	35	40	50
<b>BKC 70 12 35</b>	70	M12	35	40	50

Special dimensions are available upon request.


RAL 9005 Bright Black

Zinc Plated Bushing / Iron Bolt

Resistant to Oils, Greases and Solvents

-30°C to +120°C

## BKB BAKALITE KNOB BUSHED



Product Code	D	d	h	L	Pckg
<b>BKB 20 05 11</b>	20	M5	11	15	100
<b>BKB 20 06 11</b>	20	M6	11	15	100
<b>BKB 30 06 11</b>	30	M6	11	27	100
<b>BKB 30 08 15</b>	30	M8	15	27	100
<b>BKB 40 06 11</b>	40	M6	11	28	50
<b>BKB 40 08 15</b>	40	M8	15	28	50
<b>BKB 40 08 20</b>	40	M8	20	28	50
<b>BKB 40 10 17</b>	40	M10	17	28	50
<b>BKB 50 08 15</b>	50	M8	15	32	50
<b>BKB 50 10 17</b>	50	M10	17	32	50
<b>BKB 63 08 15</b>	63	M8	15	37	50
<b>BKB 63 10 17</b>	63	M10	17	37	50
<b>BKB 63 12 22</b>	63	M12	22	37	50
<b>BKB 70 10 17</b>	70	M10	17	40	50
<b>BKB 70 12 22</b>	70	M12	22	40	50

RAL 9005 Bright Black

Zinc Plated Bushing / Iron Bolt

Resistant to Oils, Greases and Solvents


-30°C to +120°C

## BYC BAKALITE KNOB BOLTED



Product Code	D	d	h	L	Pckg
<b>BYC 30 06 15</b>	30	M6	15	20	100
<b>BYC 30 06 25</b>	30	M6	25	20	100
<b>BYC 30 08 15</b>	30	M8	15	20	100
<b>BYC 40 06 20</b>	40	M6	20	25	100
<b>BYC 40 08 20</b>	40	M8	20	25	100
<b>BYC 40 10 20</b>	40	M10	20	25	100
<b>BYC 50 08 25</b>	50	M8	25	32	50
<b>BYC 50 10 25</b>	50	M10	25	32	50
<b>BYC 63 08 25</b>	63	M8	25	42	50
<b>BYC 63 10 30</b>	63	M10	30	42	50
<b>BYC 63 12 30</b>	63	M12	30	42	50

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C




## BYB BAKALITE KNOB BUSHED



Product Code	D	d	h	L	Pckg
<b>BYB 30 06 11</b>	30	M6	11	20	100
<b>BYB 30 08 15</b>	30	M8	15	20	100
<b>BYB 40 06 11</b>	40	M6	11	25	100
<b>BYB 40 08 15</b>	40	M8	15	25	100
<b>BYB 40 10 17</b>	40	M10	17	25	100
<b>BYB 50 08 15</b>	50	M8	15	32	50
<b>BYB 50 10 17</b>	50	M10	17	32	50
<b>BYB 63 08 15</b>	63	M8	15	42	50
<b>BYB 63 10 17</b>	63	M10	17	42	50
<b>BYB 63 12 22</b>	63	M12	22	42	50

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C




## BSC BAKALITE HANDLE BOLTED



Product Code	D	d	h	L	Pckg
<b>BSC 18 06 15</b>	18	M6	15	40	50
<b>BSC 21 08 15</b>	21	M8	15	51	50
<b>BSC 21 10 15</b>	21	M10	15	51	50
<b>BSC 23 08 20</b>	23	M8	20	66	50
<b>BSC 23 10 20</b>	23	M10	20	66	50
<b>BSC 26 10 25</b>	26	M10	25	80	50
<b>BSC 26 12 25</b>	26	M12	25	80	50
<b>BSC 28 10 25</b>	28	M10	25	91	25
<b>BSC 28 12 25</b>	28	M12	25	91	25

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C




## BSB BAKALITE HANDLE BUSHED




Product Code	D	d	h	L	Pckg
<b>BSB 18 06 11</b>	18	M6	11	40	50
<b>BSB 21 08 15</b>	21	M8	15	51	50
<b>BSB 21 10 17</b>	21	M10	17	51	50
<b>BSB 23 08 15</b>	23	M8	15	66	50
<b>BSB 23 10 17</b>	23	M10	17	66	50
<b>BSB 26 10 17</b>	26	M10	17	80	50
<b>BSB 26 12 22</b>	26	M12	22	80	50
<b>BSB 28 10 17</b>	28	M10	17	90	25
<b>BSB 28 12 22</b>	28	M12	22	90	25

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C



## BTV

BAKALITE HANDWHEEL




Product Code	D	d	L	Pckg
<b>BTB 45 20 11</b>	45	20	33	10
<b>BTB 65 25 22</b>	65	25	46	10
<b>BTB 80 30 25</b>	80	30	50	5
<b>BTB 10 35 25</b>	100	35	59	5

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C

## BTVB

BAKALITE BUSHED HANDWHEEL




Product Code	D	d	h	L	Pckg
<b>BTVB 45 08 20</b>	45	M8	20	30	10
<b>BTVB 45 10 20</b>	45	M10	20	30	10
<b>BTVB 65 10 25</b>	65	M10	25	27	10
<b>BTVB 65 12 25</b>	65	M12	25	27	10
<b>BTVB 80 16 40</b>	80	M16	40	50	5
<b>BTVB 10 20 40</b>	10	M20	40	60	5

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C

## BTVC

BAKALITE HANDWHEEL BOLTED




Product Code	D	d	h	Pckg
<b>BTVC 65 12 60</b>	65	M12	60	10
<b>BTVC 80 16 50</b>	80	M16	50	5
<b>BTVC 80 16 60</b>	80	M16	60	5

RAL 9005 Bright Black  
Zinc Plated Bushing / Iron Bolt  
Resistant to Oils, Greases and Solvents  
-30°C to +120°C

## BTVBb

BAKALITE HANDWHEEL BUSHED / Empty



Product Code	D	d	h	Pckg
<b>BTVBb 45 08 15</b>	45	8	15	10
<b>BTVBb 45 10 15</b>	45	10	15	10
<b>BTVBb 45 12 15</b>	45	12	15	10
<b>BTVBb 65 10 20</b>	65	10	20	10
<b>BTVBb 65 10 25</b>	65	10	25	10
<b>BTVBb 65 12 20</b>	65	12	20	10
<b>BTVBb 65 12 25</b>	65	12	25	10
<b>BTVBb 80 10 25</b>	80	10	25	5
<b>BTVBb 80 12 25</b>	80	12	25	5
<b>BTVBb 80 14 25</b>	80	14	25	5
<b>BTVBb 80 16 25</b>	80	16	25	5
<b>BTVBb 10 16 30</b>	10	16	30	5
<b>BTVBb 10 20 30</b>	10	20	30	5

RAL 9005 Bright Black


Zinc Plated Bushing / Iron Bolt

Resistant to Oils, Greases and Solvents

-30°C to +120°C

## BDV

BAKALITE HANDWHEEL



Product Code	D	d1	l1	d2	Pckg
<b>BDV 10 24 14</b>	100	24	14	M6	6
<b>BDV 12 32 15</b>	125	32	15	M8	4
<b>BDV 15 32 15</b>	150	32	15	M8	4
<b>BDV 17 40 15</b>	175	40	15	M10	2
<b>BDV 20 40 15</b>	200	40	15	M12	2

RAL 9005 Bright Black


Zinc Plated Bushing / Iron Bolt

Resistant to Oils, Greases and Solvents

-30°C to +120°C

## BKV

BAKALITE HANDWHEEL



Product Code	D	d1	l1	d2	Pckg
<b>BKV 10 30 12</b>	100	30	12	M6	6
<b>BKV 12 40 12</b>	125	40	12	M6	4
<b>BKV 15 50 15</b>	150	50	15	M8	4
<b>BKV 17 50 18</b>	175	50	18	M10	2
<b>BKV 20 50 18</b>	200	50	18	M12	2

RAL 9005 Bright Black

Zinc Plated Bushing / Iron Bolt

Resistant to Oils, Greases and Solvents

-30°C to +120°C


## IM INOX HINGE



316



Product Code	L1xL2	d	Pckg
<b>IM 40X40</b>	25x25	5,5x4	10
<b>IM 50X50</b>	30x30	6,6x4	10
<b>IM 50X63</b>	30x43	6,6x4	10
<b>IM 50X76</b>	30x56	6,6x4	10
<b>IM 60X60</b>	36x36	6,6	10
<b>IM 60X98</b>	36x73	6,6x4	10




## SIM STEEL SHEET HINGE INOX




304



Product Code	L1xL2	d	Pckg
<b>SIM 50X50 4 dellkll</b>	30x30	6	10
<b>SIM 50X75 5 dellkll</b>	30x55	6	10
<b>SIM 50X100 6 dellkll</b>	30x80	6	10




## PM PLASTIC HINGE




Product Code	L1xL2	d	Pckg
<b>PM 40X40</b>	25x25	5,5	50
<b>PM 48X48</b>	30x30	5,5	50
<b>PM 50X50</b>	30x30	6,5	50
<b>PM 75X65</b>	72x45	6,5	50
<b>PM 100X80</b>	72x45	8,5	50

## ZMb PLASTIC HINGE PAINTED




Product Code	L1xL2	d	Pckg
<b>ZMb 40X40</b>	25x25	5,5	50
<b>ZMb 50X50</b>	30x30	6,5	50
<b>ZMb 50X63</b>	30x43	6,5	50
<b>ZMb 50X76</b>	30x56	6,5	50
<b>ZMb 60X60</b>	36x36	8	50

## ZMk ZAMAK HINGE CHROMED




Product Code	L1xL2	d	Pckg
<b>ZMk 40X40</b>	25x25	5,5	50
<b>ZMk 50X50</b>	30x30	6,5	50
<b>ZMk 50X63</b>	30x43	6,5	50
<b>ZMk 50X76</b>	30x56	6,5	50
<b>ZMk 60X60</b>	36x36	8	50

## ZMCK ZAMAK HINGE BOLTED and CHROMED




Product Code	L1xL2	d	Pckg
ZMCK 40X40	25x25	M5x9	25
ZMCK 50X50	30x30	M6x12	25
ZMCK 50X63	30x43	M6x12	25
ZMCK 50X76	30x56	M6x12	25
ZMCK 60X60	36x36	M8x14	25

## PMC PLASTIC HINGE BOLTED




Product Code	L1xL2	d	Pckg
PMC 40X40	25x25	M5x9	50
PMC 48X48	30x30	M5x12	50
PMC 50X50	30x30	M6x11	50

## ZMCb ZAMAK HINGE BOLTED and PAINTED




Product Code	L1xL2	d	Pckg
ZMCb 40X40	25x25	M5x9	25
ZMCb 50X50	30x30	M6x12	20
ZMCb 50X63	30x43	M6x12	25
ZMCb 50X76	30x56	M6x12	25
ZMCb 60x60	36x36	M8x14	12

## SMb STEEL SHEET HINGE PAINTED




Product Code	L1xL2	d	Pckg
SMb 60X76 4 Holes	36x50	8,30	25
SMb 60X106 5 Holes	36x80	8,30	25
SMb 60X136 6 Holes	36x110	8,30	25

## MI LATCH INOKS




Product Code	L1	L2	Pckg
MI 1 small	23,5	22	10
MI 2 big	47	26,5	10

## DI LATCH DILI INOKS




Product Code	L1	R	Pckg
DI-K	13,5	4	10
DI-B	32,45	4,5	10
DI-L	30,4	4,5	10

## M LATCH



Product Code	L1	L2	Pckg
M 1 small	23,5	22	10
M 2 big	47	26,5	10


## D LATCH



Product Code	L1	R	Pckg
D-K	13,5	4	10
D-B	32,45	4,5	10
D-L	30,4	4,5	10

## YPKk


QUARTER TURN SPRING - WING



Product Code	h	L	Pckg
YPKk 1.0.50	0	50	50
YPKk 1.5.48	5	48	50
YPKk 1.7.48	7	48	50

## YPKb


QUARTER TURN SPRING - PAINTED



Product Code	h	L	Pckg
YPKb 1.0.50	0	50	50
YPKb 1.5.48	5	48	50
YPKb 1.7.48	7	48	50

## YPKp


QUARTER TURN SPRING - PLASTIC



Product Code	h	L	Pckg
YPKp 1.0.50	0	50	50
YPKp 1.5.48	5	48	50
YPKp 1.7.48	7	48	50

## YPK2


QUARTER TURN SPRING DB



Product Code	h	L	Pckg
YPK 2.0.50	0	50	50
YPK 2.5.48	5	48	50
YPK 2.7.48	7	48	50

## YPK3


QUARTER TURN SPRING TRIANGLE



Product Code	h	L	Pckg
YPK 3.0.50	0	50	50
YPK 3.5.48	5	48	50
YPK 3.7.48	7	48	50

## YPK4

QUARTER TURN SPRING SQUARE



Product Code	h	L	Pckg
YPK 4.0.50	0	50	50
YPK 4.5.48	5	48	50
YPK 4.7.48	7	48	50



METAL KEY



Product Code	Pckg
A 2.5mm DB	50
A 3.9mm TRIANGLE	50
A 4.8mm SQUARE	50

**SRK** SLIDING SLATCH**NEW PRODUCT**

Product Code	Pkt
SRK 49X5X19X20,5	1000




**SKK** BRIDGE CLAMP

NEW PRODUCT



Product Code	Pkt
SKK 46X21,5XM8	250




## TCBp ANTI-VIBRATION RUBBER MOUND / Bushed



MaterIal Natural Rubber  
Metal Zinc Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C


Product Code	D	I1	d	h	Pckg
TCBp 1520	15	20	M 4	10	25
TCBp 2015	20	15	M 6	15	25
TCBp 2020	20	20	M 6	15	25
TCBp 2515	25	15	M 6	18	25
TCBp 2520	25	20	M 6	18	25
TCBp 2525	25	25	M 6	18	25
TCBp 3015	30	15	M 8	20	25
TCBp 3020	30	20	M 8	20	25
TCBp 3025	30	25	M 8	20	25
TCBp 3030	30	30	M 8	20	25
TCBp 3040	30	40	M 8	20	25
TCBp 4020	40	20	M 8	20	25
TCBp 4025	40	25	M 8	20	25
TCBp 4030	40	30	M 8	20	25
TCBp 4040	40	40	M 8	20	25
TCBp 4535	45	35	M 8	28	25
TCBp 5020	50	20	M 10	28	25
TCBp 5025	50	25	M 10	28	25
TCBp 5030	50	30	M 10	28	25
TCBp 5035	50	35	M 10	28	25
TCBp 5040	50	40	M 10	28	25
TCBp 5045	50	45	M 10	28	25
TCBp 5050	50	50	M 10	28	25
TCBp 6030	60	30	M 12	32	25
TCBp 6035	60	35	M 12	32	25
TCBp 6040	60	40	M 12	32	25
TCBp 7035	70	35	M 12	37	25
TCBp 7040	70	40	M 12	37	25
TCBp 7045	70	45	M 12	37	25
TCBp 7545	75	45	M 12	37	25
TCBp 7550	75	50	M 12	37	25
TCBp 7555	75	55	M 12	37	25
TCBp 7570	75	70	M 12	37	25
TCBp 10050	100	50	M 16	42	25
TCBp 10055	100	55	M 16	42	25
TCBp 10060	100	60	M 16	42	25
TCBp 10075	100	75	M 16	42	25
TCBp 12540	125	40	M 16	42	25
TCBp 15050	150	50	M 20	42	25



## TCCp ANTI-VIBRATION RUBBER MOUND / Double Bolted



Material Natural Rubber  
Metal Zinc Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C




Product Code	D	l1	d	h	Pckg
<b>TCCp 1515</b>	15	15	M 4	10	25
<b>TCCp 1520</b>	15	20	M 4	10	25
<b>TCCp 2015</b>	20	15	M 6	15	25
<b>TCCp 2020</b>	20	20	M 6	15	25
<b>TCCp 2025</b>	20	25	M 6	15	25
<b>TCCp 2030</b>	20	30	M 6	15	25
<b>TCCp 2510</b>	25	10	M 6	18	25
<b>TCCp 2515</b>	25	15	M 6	18	25
<b>TCCp 2520</b>	25	20	M 6	18	25
<b>TCCp 2530</b>	25	30	M 6	18	25
<b>TCCp 3015</b>	30	15	M 8	20	25
<b>TCCp 3020</b>	30	20	M 8	20	25
<b>TCCp 3025</b>	30	25	M 8	20	25
<b>TCCp 3030</b>	30	30	M 8	20	25
<b>TCCp 3040</b>	30	40	M 8	20	25
<b>TCCp 3535</b>	35	35	M 8	20	25
<b>TCCp 4020</b>	40	20	M 8	20	25
<b>TCCp 4025</b>	40	25	M 8	20	25
<b>TCCp 4030</b>	40	30	M 8	20	25
<b>TCCp 4040</b>	40	40	M 8	20	25
<b>TCCp 4525</b>	45	25	M 8	20	25
<b>TCCp 5020</b>	50	20	M 10	28	25
<b>TCCp 5025</b>	50	25	M 10	28	25
<b>TCCp 5030</b>	50	30	M 10	28	25
<b>TCCp 5035</b>	50	35	M 10	28	25
<b>TCCp 5040</b>	50	40	M 10	28	25
<b>TCCp 5045</b>	50	45	M 10	28	25
<b>TCCp 5050</b>	50	50	M 10	28	25
<b>TCCp 6030</b>	60	30	M 12	32	25
<b>TCCp 6035</b>	60	35	M 12	32	25
<b>TCCp 6040</b>	60	40	M 12	32	25
<b>TCCp 7035</b>	70	35	M 12	37	25
<b>TCCp 7040</b>	70	40	M 12	37	25
<b>TCCp 7045</b>	70	45	M 12	37	25
<b>TCCp 7525</b>	75	25	M 12	37	25
<b>TCCp 7530</b>	75	30	M 12	37	25
<b>TCCp 7540</b>	75	40	M 12	37	25
<b>TCCp 7550</b>	75	50	M 12	37	25
<b>TCCp 7555</b>	75	55	M 12	37	25
<b>TCCp 7570</b>	75	70	M 12	37	25
<b>TCCp 10040</b>	100	40	M 16	42	25
<b>TCCp 10050</b>	100	50	M 16	42	25
<b>TCCp 10055</b>	100	55	M 16	42	25
<b>TCCp 10060</b>	100	60	M 16	42	25
<b>TCCp 10075</b>	100	75	M 16	42	25
<b>TCCp 12540</b>	125	40	M 16	42	25
<b>TCCp 15050</b>	150	50	M 20	42	25

# TBBP ANTI-VIBRATION RUBBER MOUND / Double Bushed



Material Natural Rubber  
Metal Zinc Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C


Product Code	D	I1	d	h	Pckg
<b>TBBp 2020</b>	20	20	M 6	6	25
<b>TBBp 2030</b>	20	30	M 6	6	25
<b>TBBp 2525</b>	25	25	M 6	6	25
<b>TBBp 3020</b>	30	20	M 8	8	25
<b>TBBp 3025</b>	30	25	M 8	8	25
<b>TBBp 3030</b>	30	30	M 8	8	25
<b>TBBp 3040</b>	30	40	M 8	8	25
<b>TBBp 3535</b>	35	35	M 8	8	25
<b>TBBp 4020</b>	40	20	M 8	8	25
<b>TBBp 4025</b>	40	25	M 8	8	25
<b>TBBp 4030</b>	40	30	M 8	8	25
<b>TBBp 4040</b>	40	40	M 8	8	25
<b>TBBp 4525</b>	45	25	M 8	8	25
<b>TBBp 4535</b>	45	35	M 8	10	25
<b>TBBp 5025</b>	50	25	M 10	10	25
<b>TBBp 5030</b>	50	30	M 10	10	25
<b>TBBp 5035</b>	50	35	M 10	10	25
<b>TBBp 5040</b>	50	40	M 10	10	25
<b>TBBp 5045</b>	50	45	M 10	10	25
<b>TBBp 5050</b>	50	50	M 10	10	25
<b>TBBp 6030</b>	60	30	M 12	12	25
<b>TBBp 6035</b>	60	35	M 12	12	25
<b>TBBp 6040</b>	60	40	M 12	12	25
<b>TBBp 7045</b>	70	45	M 12	12	25
<b>TBBp 7555</b>	75	55	M 12	12	25
<b>TBBp 10050</b>	100	50	M16	16	25
<b>TBBp 10055</b>	100	55	M16	16	25
<b>TBBp 10060</b>	100	60	M16	16	25
<b>TBBp 10075</b>	100	75	M16	16	25



## TCp ANTI-VIBRATION RUBBER MOUND / Bolted



Material Natural Rubber  
Metal ZnC Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C




Product Code	D	l1	d	h	Pckg
TCp 1508	15	8	M 4	10	25
TCp 1515	15	15	M 4	10	25
TCp 1520	15	20	M 4	10	25
TCp 2010	20	10	M 6	15	25
TCp 2015	20	15	M 6	15	25
TCp 2020	20	20	M 6	15	25
TCp 2025	20	25	M 6	15	25
TCp 2030	20	30	M 6	15	25
TCp 2510	25	10	M 6	18	25
TCp 2515	25	15	M 6	18	25
TCp 2520	25	20	M 6	18	25
TCp 2525	25	25	M 6	18	25
TCp 3015	30	15	M 8	20	25
TCp 3020	30	20	M 8	20	25
TCp 3025	30	25	M 8	20	25
TCp 3030	30	30	M 8	20	25
TCp 3040	30	40	M 8	20	25
TCp 3535	35	35	M 8	20	25
TCp 4020	40	20	M 8	20	25
TCp 4025	40	25	M 8	20	25
TCp 4030	40	30	M 8	20	25
TCp 4040	40	40	M 8	20	25
TCp 4525	45	25	M 8	28	25
TCp 4535	45	35	M 8	28	25
TCp 5020	50	20	M 10	28	25
TCp 5025	50	25	M 10	28	25
TCp 5030	50	30	M 10	28	25
TCp 5035	50	35	M 10	28	25
TCp 5040	50	40	M 10	28	25
TCp 5045	50	45	M 10	28	25
TCp 5050	50	50	M 10	28	25
TCp 6030	60	30	M 12	32	25
TCp 6035	60	35	M 12	32	25
TCp 6040	60	40	M 12	32	25
TCp 7035	70	35	M 12	37	25
TCp 7040	70	40	M 12	37	25
TCp 7045	70	45	M 12	37	25
TCp 7525	75	25	M 12	37	25
TCp 7540	75	40	M 12	37	25
TCp 7550	75	50	M 12	37	25
TCp 7555	75	55	M 12	37	25
TCp 7570	75	70	M 12	37	25
TCp 10040	100	40	M 16	42	25
TCp 10050	100	50	M 16	42	25
TCp 10055	100	55	M 16	42	25
TCp 10060	100	60	M 16	42	25
TCp 10075	100	75	M 16	42	25
TCp 15050	150	50	M 20	42	25

## TBp ANTI-VIBRATION RUBBER MOUND / Bushed



Material Natural Rubber  
Metal Zinc Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C

Product Code	D	I1	d	h	Pckg
<b>TBp 1520</b>	15	20	M 4	4	25
<b>TBp 2020</b>	20	20	M 6	6	25
<b>TBp 2030</b>	20	30	M 6	6	25
<b>TBp 2525</b>	25	25	M 6	6	25
<b>TBp 3020</b>	30	20	M 8	8	25
<b>TBp 3030</b>	30	30	M 8	8	25
<b>TBp 4030</b>	40	30	M 8	8	25
<b>TBp 4040</b>	40	40	M 8	8	25
<b>TBp 5020</b>	50	20	M 10	10	25
<b>TBp 5030</b>	50	30	M 10	10	25
<b>TBp 5035</b>	50	35	M 10	10	25
<b>TBp 5040</b>	50	40	M 10	10	25
<b>TBp 5050</b>	50	50	M 10	10	25
<b>TBp 6025</b>	60	25	M 12	12	25
<b>TBp 6030</b>	60	30	M 12	12	25
<b>TBp 6040</b>	60	40	M 12	12	25
<b>TBp 7045</b>	70	45	M 12	12	25
<b>TBp 10050</b>	100	50	M 16	16	25




## TKCp ANNULAR RUBBER MOUND / Bushed

Product Code	D	I1	d	h	Pckg
TKCp 110	110	50	12	27	10
TKCp 160	160	75	12	28	10



Material Natural Rubber  
Metal Zinc Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C




## TMCp ROLLER RUBBER MOUND / Bushed

Product Code	D	I1	d	h	Pckg
TMCp 80	80	60	8	27	25



Material Natural Rubber  
Metal Zinc Coated  
Hardness 70 ±5 Shore  
Temperature Resistant -20°C/+ 80°C





## TCCd ANTI VIBRATION RUBBER MOUND



Material Natural Rubber  
 Metal ZnC Coated  
 Hardness 70 ±5 Shore  
 Temperature Resistant -20°C/+ 80°C

Product Code	L	L1	H	h	d	Pckg
<b>TCCd 150</b>	150	103	12	78	M16	1





Emes Endustriyel Makine  
Ekipmanları San. Ve Tic. A.S

+90 216 304 06 79



+90 216 309 91 48



[info@emesteker.com](mailto:info@emesteker.com)



[www.emesteker.com](http://www.emesteker.com)



📍 Orta Mah. 30 Agustos Cad. No:61 34956 Orhanlı-Tuzla, İstanbul/TÜRKİYE